



www.centralwelding.com • (800) 697-0128

2023

SAFETY CATALOG




TABLE OF CONTENTS

CLOTHING PROTECTION3-8

COVERING PRODUCTS8

EAR PROTECTION 8-13

ERGONOMIC PROTECTION 13

EYE PROTECTION.....14-19

FALL PROTECTION 19-23

FIRE, GAS & WATER PROTECTION..... 23-25

FIRST AID SAFETY 26-28

FLASHLIGHTS & LANTERNS.....29-30

FOOT PROTECTION 30-31

HAND PROTECTION 31-38

HEAD/FACE PROTECTION 38-47

HEAT STRESS PROTECTION 47-50

LOCKING DEVICES 50-51

RESPIRATORY PROTECTION.....51-61

SAFETY STORAGE 62-63

SPILL CONTROL SAFETY63-64

STORAGE.....64

TRAFFIC SAFETY 65-67

CLOTHING PROTECTION

Aprons



Flame-Retardant Cotton Sateen Bib Aprons

Features:

- Made from durable 9 oz flame-retardant (FR) cotton sateen.
- Adjustable neck and waist straps.

Width: 24 in

Material: FR Cotton Sateen

Style: Bib Apron

Resistance: Flame Retardant

SKU	Color	Length
902-CA-400	Visual Green	36 in

Premium Side Split Cowhide Leather Bib Aprons

Features:

- Constructed with high-quality, durable, and pliable side split cowhide.
- Seams are double-lock stitched with 5-ply Kevlar® thread.
- Riveted seams at major stress points for maximum durability.
- Adjustable self-balancing shoulder straps.
- 40 in adjustable waist with quick-release strap.
- Extension straps sold separately.

Material: Premium Side Split Cowhide

Resistance: Abrasion; Heat



SKU	Color	Length	Width
902-500	Lava Brown	42 in	24 in

Coats & Jackets



Flame Retardant (FR) Cotton Sateen Jackets

Features:

- Attractive cotton sateen jacket features a full jacket collar.
- Adjustable black snaps on cuffs provide additional flashback protection.
- Made from 100% flame retardant (FR) cotton sateen fabric.

Color: Visual Green

Material: Flame Retardant Cotton Sateen

Closure Type: Snaps

Length: 30 in

SKU	Size Group
902-CA-1200-M	Medium
902-CA-1200-L	Large
902-CA-1200-XL	X-Large
902-CA-1200-2XL	2X-Large
902-CA-1200-3XL	3X-Large
902-CA-1200-4XL	4X-Large

Split Cowhide Leather Welding Jackets

Features:

- Quality leather jacket constructed with select split cowhide.
- Heat- and abrasion-resistant to withstand general welding applications.
- Sewn with KEVLAR® thread with riveted seams at major stress points for maximum durability.

Style: Front Snap Closure With Hook and Loop Collar

Material: Split Cowhide Leather

Closure Type: Snaps

Length: 30 in



SKU	Size Group	Color
902-Q-1-L	Large	Golden Brown
902-Q-1-XL	X-Large	Golden Brown
902-Q-1-2XL	2X-Large	Golden Brown

Coveralls & Overalls



3M™ Disposable Protective Coveralls 4510 Series

Features:

- Constructed from microporous PE laminate material for Type 5 and Type 6 protection.
- Does not contain silicone or natural rubber latex components.
- Two-way zipper with sealable storm flap helps provide additional protection against contaminants.
- Anti-static treatment can help reduce static build-up.
- Recommended for use in multiple industries including commercial buildings, design and construction, facility sanitation, food safety, and more.
- Available in collared and hooded profiles.

Color: White

Resistance: Hazardous Dust; Light Liquid Splashes

Style: 4510 Protective Coveralls

Applications: Fiberglass Application; Resin Applications; Spray Painting

SKU	Size Group	Material
142-4510-BLK-M	Medium	Microporous PE Laminate
142-4510-BLK-L	Large	Microporous PE Laminate
142-4510-BLK-XL	X-Large	Microporous PE Laminate
142-4510-BLK-XXL	2X-Large	Microporous PE Laminate



Tyvek® 400 Coveralls

Features:

- Composed of Tyvek® 400 flash-spun, high-density polyethylene which creates a unique, nonwoven material.
- Offers inherent barrier against particles down to 1.0 micron in size.
- Protection built into the fabric itself, no films or laminates to abrade or wear away.
- Comfort fit design enables a greater range of movement while stretching and bending with reinforcement in high stress areas.
- Available in many different styles.



Color: White

Resistance: Hazardous Aerosols/Dry Particles; Non-Hazardous Light Liquid Splash

SKU	Size Group	Style
251-TY125SWHMD002500	Medium	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125SWHXL002500	X-Large	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125SWH3X002500	3X-Large	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125SWH4X002500	4X-Large	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY120S-M	Medium	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-L	Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-XL	X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-2XL	2X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-3XL	3X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-4XL	4X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-5XL	5X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-6XL	6X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY127S-M	Medium	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-L	Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY125S-2XL	2X-Large	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-5X	5X-Large	Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY127S-XL	X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-2XL	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-3XL	3X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-4XL	4X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-5XL	5X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap



KLEENGUARD™

A40 Liquid & Particle Protection Coveralls

Features:

- Made of breathable, microporous film to keep out debris, non-hazardous liquid chemicals and dry particulates.
- Excellent fit and comfort and freedom of movement.
- Less lint, reducing the threat of cross contamination in critical areas.
- Zipper front only, zipper front/elastic wrists/ankles, zipper front/elastic wrist/ankles and attached hood, or zipper front/elastic wrists/ankles and attached hood/boots styles available.

Material: Microporous Film Laminate

Resistance: Liquid; Particles

Applications: Agriculture; Fiberglass Manufacturing; Lead Abatement; Liquid Handling; Maintenance/General Manufacturing; Mold Remediation; Pressure Washing; Sewage Work; Tank Cleaning; Utilities



SKU	Size Group	Style
412-44323-15	Large	Zipper Front; Elastic Wrists and Ankles; Attached Hood
412-44324-16	X-Large	Zipper Front; Elastic Wrists and Ankles; Attached Hood
412-44325-17	2X-Large	Zipper Front; Elastic Wrists and Ankles; Attached Hood
412-44326-18	3X-Large	Zipper Front; Elastic Wrists and Ankles; Attached Hood
412-44303-2	Large	Zipper Front
412-44304-3	X-Large	Zipper Front
412-44305-4	2X-Large	Zipper Front
412-44306-6	3X-Large	Zipper Front

Kleenguard™ A20 Breathable Particle Protection Coveralls

Features:

- Kleenguard™ A20 are designed to protect against dirt, grime and dust and are made with breathable Microforce barrier fabric.
- Reflex Coverall Design offers excellent fit and freedom of movement.
- Passes NFPA 99 for antistatic (anti stat) materials.
- Meets the EPA Agricultural Worker Protection Standard (WPS) requirements for coveralls.

Color: White

Resistance: Abrasion; Dry Particles; Light Liquid Sprays; Static

Style: Attached Hood/Boots; Elastic Back/Wrists/Ankles; Zipper Front with Storm Flap

Applications: Laboratories; Heavy Dust Environments; Pesticides; Remediation



SKU	Size Group	Material
412-49123	Large	MICROFORCE™ Barrier SMS
412-49124	X-Large	MICROFORCE™ Barrier SMS
412-49125	2X-Large	MICROFORCE™ Barrier SMS
412-49126	3X-Large	MICROFORCE™ Barrier SMS



Class E High Visibility Winter Bib Pants

Features:

- Cold weather bib pants made with 300 Denier Polyester Oxford with PU coating.
- Quilted thermal insulation, waterproof with sealed seams.
- 2 inch reflective tape.
- Adjustable suspenders with release buckle.
- Elastic back waistband with extended coverage for comfort.
- Front zipper fly.
- Black knee patches hide dirt.

Color: Yellow with Black/Silver Reflective Tape

Resistance: Water; Weather

Style: ANSI Type R Class E Cold Weather Bib Pants with 7 Pockets



SKU	Size Group	Material
561-LUX-WBIB-YM	Medium	300 Denier Polyester Oxford with PU Coating; Quilted Thermal
561-LUX-WBIB-YL	Large	300 Denier Polyester Oxford with PU Coating; Quilted Thermal
561-LUX-WBIB-YXL	X-Large	300 Denier Polyester Oxford with PU Coating; Quilted Thermal
561-LUX-WBIB-Y2X	2X-Large	300 Denier Polyester Oxford with PU Coating; Quilted Thermal
561-LUX-WBIB-Y3X	3X-Large	300 Denier Polyester Oxford with PU Coating; Quilted Thermal
561-LUX-WBIB-Y4X	4X-Large	300 Denier Polyester Oxford with PU Coating; Quilted Thermal



681 Full-Featured Contractor Style FR Coveralls

Features:

- Concealed YKK® brass zipper.
- Full-action back.
- Bartacks at critical stress points.
- Two front, rear, chest and pass-through pockets for extra storage.
- Elastic waistband.
- Tool pocket on leg.

Test & Approvals: CAT 2 ASTM F1959; ATPV 8.0 cal/cm²; NFPA 2112

Color: Tan

Resistance: Arc Flash; Flash Fire Hazards

Style: 681



SKU	Size Group	Material
703-FRC681-TN-XL	X-Large	7.5 oz 100% Cotton; Flame Resistant (FR)

CLOTHING PROTECTION



Posi-Wear® FR™ Disposable Coveralls

Features:

- Created as a secondary garment that is highly oil repellent and offers outer protection for primary garments.
- Anti-static treated.
- Latex free.

Test & Approvals: Meets NFPA 701 Specifications for Self-Extinguishing

Material: Spunlace

Color: Blue

Resistance: Flame; Oil

Style: Collar; Open Wrists and Ankles; Zipper Front

Applications: Energy; General Maintenance and Construction; Oil Refineries; Utilities; Welding



SKU	Size Group
813-3100/M	Medium
813-3100/L	Large
813-3100/XL	X-Large

Rainwear



DRW11 Waterproof Lightweight Packable Raincoats

Features:

- Lightweight RipStop Waterproof Polyester with mesh liner provides general purpose level of defense against harsh environments.
- Zipper front closure with Hook & Loop storm flap, bottom snap and adjustable hem with toggle blocks the wind and wet.
- Segmented Lightweight Reflective Tape.
- Even on the hood, increasing visibility.
- Packs away easily either into its own hood or lower front zipper pocket making it easy to store or to pack in tool box, backpack, or vehicle.

Color: Black w/Reflective Stripe

Material: Polyester

Test & Approvals: ANSI/ISEA 107 Type O Class 1



SKU	Size Group
292-DRW11-1ZGR-S	Small
292-DRW11-1ZGR-M	Medium
292-DRW11-1ZGR-L	Large
292-DRW11-1ZGR-XL	X-Large
292-DRW11-1ZGR-2X	2X-Large
292-DRW11-1ZGR-3X	3X-Large
292-DRW11-1ZGR-4X	4X-Large
292-DRW11-1ZGR-5X	5X-Large



Classic Series Limited Flammability 3-Pc Rain Suits

Features:

- 3-piece rain suit includes jacket with detachable hood and bib pants.
- Bib pant with fly front.
- Snap front rain jacket.
- Take up snaps on the wrists and ankles.
- Limited flammability, NOT intended for use as protection against ARC Flash or Flash Fire.

Test & Approvals: Meets the ASTM D-6413 Flame Resistant Standard

Color: Yellow

Material: PVC; Polyester

SKU	Size Group
611-FR2003L	Large
611-FR2003XL	X-Large
611-FR2003X2	2X-Large
611-FR2003X3	3X-Large



Classic Series Rain Coats

Features:

- Combines the strength and waterproof qualities of PVC with the durability of a polyester backing.
- Features a snap front, take-up snaps at the wrists, detachable hood with drawstring, and 2 patch pockets.
- Cape ventilated back, underarm air vents.

Color: Yellow

Material: PVC; Polyester

SKU	Size Group
611-200CL	Large
611-200CXL	X-Large
611-200CX2	2X-Large



Class 3 Type R Premium Breathable Rain Jackets

Features:

- Breathable, waterproof with sealed seams.
- Zip roll-away hood.
- Zipper closure with snapped storm flap.
- Two outer lower pockets.
- New features-mic tab and right chest expandable pocket with flap.

Test & Approvals: Meets ANSI/ISEA 107-2020 Class 3 Type R

Color: Yellow with Black/Silver

Material: 150 Denier Polyester Oxford with PU Coating: 2 in Reflective Tape



SKU	Size Group
561-LUX-TJR-YL	Large
561-LUX-TJR-YXL	X-Large



RW11 Type R Class 3 Waterproof Lightweight Packable Raincoats

Features:

- Lightweight RipStop waterproof polyester with mesh liner provides general purpose level of defense against harsh environments.
- Zipper-front closure with hook-and-loop storm flap, bottom snap and adjustable hem with toggle blocks the wind and wet.
- Segmented lightweight reflective tape, even on the hood, increasing visibility.
- Packs away easily either into its own hood or lower front zipper pocket making it easy to store or to pack in tool box, backpack, or vehicle.
- Tabbed back hood with extended visor and high neck helps to keep wind and rain from face and ears.

Color: Yellow with Silver Reflective Tape

Material: Waterproof RipStop



SKU	Size Group
292-RW11-3ZGR-S	Small
292-RW11-3ZGR-M	Medium
292-RW11-3ZGR-L	Large
292-RW11-3ZGR-XL	X-Large
292-RW11-3ZGR-2X	2X-Large
292-RW11-3ZGR-3X	3X-Large
292-RW11-3ZGR-4X	4X-Large
292-RW11-3ZGR-5X	5X-Large



4035 3-Pc Rainsuits

Features:

- Constructed from 0.35mm PVC on polyester for light to medium applications.
- Jacket is vented back for breathability, duo-layer front closer to prevent wet, two front patch pockets for storage, and a corduroy collar for comfort.
- Removable hood with drawstring.
- Adjustable suspenders for overalls with triangular buckles for perfect fit.
- Single snap fly.

Color: Yellow

Material: PVC/Polyester



SKU	Size Group
813-4035/M	Medium
813-4035/L	Large
813-4035/XL	X-Large
813-4035/XXL	2X-Large

Sleeves & Bibs



Kevlar® Sleeves

Features:

- 100% DuPont Kevlar® construction.
- Provide cut resistance with dexterity.
- Thumb slot design for wrist protection.

Material: Kevlar® String Knit

Closure Type: Slip On

Color: Yellow

Resistance: Cut

SKU	Size Group	Length
012-70-118	One Size	18 in



FR Cotton Sateen Cape Sleeves

Features:

- 9-oz flame-retardant cape sleeves provide protection at minimal cost.
- Under-the-arm sport cut for increased mobility and hemmed collar to retain shape after many washings.
- Retains flame retardancy for up to 50 normal home washings and 25 commercial.
- Can be worn with detachable 14-in and 20-in bibs (sold separately).

Test & Approvals: ASTM D6413-13b

Material: 9 oz FR Cotton Sateen

Closure Type: Snaps

Color: Visual Green

Resistance: Flame

SKU	Size Group
902-CA-650-L-SNAPS	Large
902-CA-650-XL-SNAPS	X-Large

COVERING PRODUCTS

Tarps



Multiple Use Tarps

Features:

- Reinforced hem.
- Heat-sealed seams.
- Grommets every 3 ft.

Material: Polyethylene

Thickness: 5 mil

Resistance: Fade; Rot and Rust Proof; Sun

Color: Blue

SKU	Length	Width
101-0608	8 ft	6 ft
101-0810	10 ft	8 ft
101-1012	12 ft	10 ft
101-1212	12 ft	12 ft

EAR PROTECTION

Earmuffs



3M

3M™ PELTOR™ Optime™ 95 Earmuffs

Features:

- Stainless steel construction resists bending and warping.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Lightweight with liquid/foam filled earmuff cushions.
- Color-coding for compliance sighting.

Color: White/Black

Mounting: Behind the Head

SKU	Noise Reduction Rate (NRR)
247-H6B/V	21 dB

3M



3M™ PELTOR™ Optime™ 98 Earmuffs

Features:

- Ear cup pivot points tilt for comfort and efficiency.
- Model H9A recommended for noise exposures up to 98 dBA TWA.
- Soft, foam-filled cushions help provide a noise-blocking seal around the ears.
- Durable, stainless steel headband resists bending and warping.
- Works with AO Tuffmaster® face protection system.

Color: Yellow

SKU	Noise Reduction Rate (NRR)	Used With	Mounting
247-H9A	25 dB	Hard Hats	Over-the-Head
247-H9P3E	23 dB	Hard Hats	Cap Mount



Interceptor - Lightweight Folding Earmuffs

Features:

- The DEWALT® Interceptor Earmuff is a lightweight earmuff with unmatched performance providing maximum hearing protection.
- High performance earmuff offers excellent noise reduction rating of 29 with maximum comfort.
- Adjustable moisture wicking headband moves moisture away while providing cool comfort.
- Adjustable moisture wicking headband moves moisture away while providing cool comfort.
- Compact folding feature allows for easy storage and keeps dust and debris out of the earcups.

Color: Yellow

Mounting: Over The Head

SKU	Noise Reduction Rate (NRR)
292-DPG62-C	29 dB



Interrupter® Earmuffs

Features:

- Offers excellent noise reduction rating of 23 with maximum comfort and lightweight construction.
- The soft, foam filled padded earcups are durable.
- The earmuffs also feature an adjustable, padded headband.

Color: Yellow

Mounting: Over The Head

SKU	Noise Reduction Rate (NRR)
292-DPG64HC	23 NRR



Honeywell
HOWARD
LEIGHT
AUTHORIZED
DISTRIBUTOR

VeriShield™ 100 Series Passive Earmuffs

Features:

- Large dimension range provides comfortable fit that is 17 percent more adjustable than earlier versions.
- Wide cup opening area increased by 16 percent over earlier versions.
- New unique memory foam combines denser and softer foam than previous models, suitable for wearers with sensitive ear canals or for wearing with hearing aids.
- Air Flow Control technology for optimum attenuations across all frequencies.
- Available in over-the-head, hard hat, and neckband styles.

Test & Approvals: 29 CFR 1910.95 - OSHA Occupational Noise Exposure; S3.19-1974 - Attenuation Test Protocol

Color: Black

SKU	Noise Reduction Rate (NRR)	Mounting
154-1035102-VS	24 dB	Over-the-Head
154-1035187-VS	30 dB	Multi-Position



JACKSON SAFETY H70 VIBE Earmuffs

Features:

- Various noise levels available in headband or cap mount styles.
- Headband style features innovative design with soft padded headband that adjusts to most head shapes and sizes.
- Dielectric design means no exposed metal parts.

Color: Black

Mounting: Over-the-Head

SKU	Noise Reduction Rate (NRR)
138-20775	29 dB



MOLDEX MX Series Earmuffs

Features:

- Ear cushions fit almost all ears comfortably.
- Soft cushion-ribbed open air headband for cool comfort all day long.
- Overmolded headband is durable for rugged wear over many shifts.
- Lightweight wire frame allows easy cup adjustment, yet holds its position for lasting comfort.
- Extra soft foam/low pressure cushions and headband are PVC-free.
- Glossy surface for easy cleaning and longer wear.

Test & Approvals: ISO 9001:2008

Mounting: Headband

SKU	Noise Reduction Rate (NRR)	Color
507-6120	27 dB	Black; Blue; Green
507-6130	30 dB	Black; Green





SoundControl® SH Cap Earmuffs

Features:

- Spring design offers low pressure and a high level of comfort.
- Three distinct wearing positions for ease of use.
- Excellent grip makes it easy to adjust the cups, even when wearing gloves.
- Provides maximum space for the ears inside the cup.
- Soft ear cup material for extended wear.
- Easy ear cup height adjustment.

Color: Black; Gray

Mounting: Cap-Mounted

SKU	Noise Reduction Rate (NRR)	Used With
454-10129327	25 dB	MSA Slotted Caps/Full-Brim Hats

Earplug Parts & Accessories



PlugStation® Earplug Dispensers

Features:

- Compliance — High visibility to increase awareness for your hearing conservation program.
- Convenience — Hang a PlugStation® anywhere plugs are needed.
- When PlugStation® is empty, simply dispose of it and hang a new one.
- Uncorded earplugs are available in two sizes - 250 pairs and 500 pairs.
- Can also be used with EcoStation™/PlugStation® Magnetic Bracket Assembly (6868 sold separately).

Test & Approvals: ANSI S3.19-1974

Color: Assorted Color Swirls/Strreaks Earplugs

Includes: Dispensers with Uncorded Earplugs; Mounting Brackets



SKU	Quantity
507-6644	(6) Dispensers; (6) Mounting Brackets; 250 Pairs/Dispenser
507-6645	(4) Dispensers; (4) Mounting Brackets; 500 Pairs/Dispenser

Earplugs



3M™ E-A-R™ Classic™ Foam Earplugs



Features:

- Flame-retardant.
- Moisture resistant.
- Shape prevents shifting and keeps effectiveness of noise seal constant.
- Slow recovery PVC foam provides comfort with low pressure.

Color: Yellow

Quantity: 200 pair per box

SKU	Noise Reduction	Body Material	Type	Packing Type
247-310-1001	29 dB	Polymer Foam	Uncorded	Pillow Pack
247-311-1101	29 dB	Polymer Foam	Corded	Poly Bag

3M™ E-A-R™ Push-Ins™ SofTouch™



Features:

- No roll convenience.
- Easy fitting, narrow to wide design.

Color: Yellow/Blue

Type: Corded

Packing Type: Poly Bag

Quantity: 2000 pair per Case

SKU	Noise Reduction	Body Material
247-318-4001	31 dB	Polyurethane

3M™ E-A-R™ Ultrafit® Earplugs

Features:

- Conforms to oval shape of ear.
- No rolling or touching plug portion during insertion.
- Proprietary, premolded, triple-flange earplug design inserts easily and provides a comfortable fit for a reusable earplug.

Color: Yellow

Packing Type: Poly Bag

Quantity: 100 Pairs



SKU	Noise Reduction	Body Material	Type
247-340-4004	25 dB	Elastomeric Polymer	Corded
247-340-4003	25 dB	Elastomeric Polymer	Uncorded



3M™ Foam Earplugs

Features:

- Smooth, dirt resistant surface for hygiene.
- Tapered shape to fit the ear canal comfortably.
- Hypo-allergenic material.
- Comfortable for a wide range of ear sizes.

Color: Bright Orange



SKU	Noise Reduction	Type	Packing Type	Quantity
142-1100	29 dB	Uncorded Tapered	Box	200 pair per box
142-1110	29 dB	Corded Tapered	Poly Bag	100 pair per box



Bell Shape Disposable Foam Earplugs

Features:

- Feature slow-recovery foam for comfort.
- Bell shape offers versatile and comfortable fit.
- Flange provides a more consistent fit.
- Lightweight polyurethane foam provides comfortable seal without pressure.
- Options available for PVC dielectric corded earplugs and uncorded earplugs.

Color: Orange

SKU	Noise Reduction	Type	Quantity
292-DP663BG50	33 dB	Bell Shape Uncorded Disposable Foam Earplugs	25 PR/BG; 50/BG; 1 BG/BG
292-DP665TC2	33 dB	Bell Shape Corded Disposable Foam Earplugs	2 PR with Case



AirSoft® Reusable Earplugs

Features:

- Advanced air pocket design features internal noise-blocking fins.
- Rounded flanges, tapered shape fits better in the ear canal.
- Firm stem facilitates easy insertion and removal.
- Four-flange profile creates better seal in the ear canal.
- Less pressure in the ear canal eliminates that “plugged up” feeling.

Test & Approvals: ANSI S.3.19-1974

Quantity: 100 pair per box



SKU	Noise Reduction	Body Material	Color	Type
154-DPAS-1	27 dB	Thermoplastic Elastomer	Blue	Uncorded
154-DPAS-30R	27 dB	Thermoplastic Elastomer	Blue/Red Cord	Corded
154-DPAS-30W	27 dB	Thermoplastic Elastomer	Blue/White Cord	Corded

Fusion® Multiple-Use Earplugs

Features:

- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal.
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection.
- Unique detachable nylon cord system adapts to virtually any application.

Test & Approvals: ANSI S.3.19-1974

Type: Corded

Quantity: 100 pair per box



SKU	Noise Reduction	Body Material	Color	Packing Type
154-FUS30-HP	27 dB	Thermoplastic Elastomer	Blue/Yellow	HearPack®
154-FUS30S-HP	27 dB	Thermoplastic Elastomer	Green	Flip-Top Box

Laser Trak® Detectable Earplugs

Features:

- Non-ferrous metal grommet and bright colors — easily detected by visual and automated inspection.
- Self-adjusting polyurethane foam expands to fit virtually any wearer.
- Contoured T-shape for easy insertion and wear.

Test & Approvals: ANSI S.3.19-1974

Color: Blue/Orange

Type: Corded

Packing Type: Poly Bag

Quantity: 100 pair per box



SKU	Noise Reduction	Body Material
154-LT-30	32 dB	Foam

Max Lite® Disposable Earplugs

Features:

- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

Test & Approvals: ANSI S.3.19-1974

Noise Reduction: 30 dB

Body Material: Foam

Color: Green

Packing Type: Poly Bag



SKU	Type	Quantity
154-LPF-1	Uncorded	200 pair per box
154-LPF-30	Corded	100 pair per box

Honeywell
HOWARD LEIGHT
 AUTHORIZED DISTRIBUTOR



Max® Disposable Earplugs

Features:

- Contoured design easier to insert, resists tendency to back out of ear canal.
- Polyurethane foam enhances comfort, especially for long-term wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bell shape delivers maximum in-ear comfort.

Test & Approvals: ANSI S.3.19-1974;29 CFR 1910.95;9001:2008 - ISO

Body Material: Polyurethane

Color: Coral

SKU	Noise Reduction	Type	Packing Type	Quantity
154-MAX-1	33 dB	Uncorded	Plastic Bag	200 pairs/box
154-MAX-1-D	33 dB	Uncorded	Dispenser Box	500 pair per box
154-MAX-30	33 dB	Corded	Plastic Bag	100 pairs/box

JACKSON
SAFETY



H10 Disposable Earplugs

Features:

- Smooth bullet shape for easy insertion.
- Made with a flexible polyurethane foam.
- High visibility for easy compliance monitoring.
- Options available for corded (67210) and uncorded (67212).

Color: Orange

Packing Type: Individually Bagged Pairs

SKU	Noise Reduction	Body Material	Type	Quantity
138-67210	31 dB	Polyurethane Foam	Uncorded	200 EA/BX
138-67212	31 dB	Polyurethane Foam	Corded	100 EA/BX

MOLDEX

JETZ™ Reusable Earplugs



Features:

- Extra-soft material and triple flange design seals gently and snugly without pressure.
- The unique cord attachment with locking loop, helps keep the optional braided cloth cord securely in place.
- High visibility unique green swirls plus bright green cord make compliance checks quick and easy.
- Plugs can be washed and reused.
- 100% PVC-Free®.

Test & Approvals: Independently tested to ANSI S3.19-1974

Color: Bright Green

Type: Corded

Packing Type: Box

SKU	Noise Reduction	Body Material
507-6455	27 dB	TPE

Pura-Fit® Foam Earplugs



Features:

- Long length for easy fitting and removal.
- Bright color for easy compliance checks.
- Tapered design to fit the ear canal.
- Non-irritating, smooth surface for added comfort.

Test & Approvals: ANSI S3.19-1974

Color: Bright Green

Packing Type: Box

SKU	Noise Reduction	Body Material	Type	Quantity
507-6800	33 dB	Foam	Uncorded	200 pair per box
507-6900	33 dB	Foam	Corded	100 pair per box

Rockets® Reusable Earplugs



Features:

- Easy grip handle.
- Air bubble in the tip provides cushioned comfort.
- Easy insertion in any size ear canal.
- Pocket-Pak® carrying case for plug storage, slips easily into pocket.
- Washable and reusable.

Test & Approvals: ANSI S3.19-1974

Packing Type: Box

Quantity: 50 pair per box

SKU	Noise Reduction	Body Material	Color	Type
507-6400	27 dB	TPE	Purple	Uncorded
507-6405	27 dB	TPE	Purple	Corded
507-6415	27 dB	TPE	Blue	Metal Detectable with Cord



Soothers™ Moisturizing Disposable Earplugs

Features:

- Hydrates and moisturizes for all day comfort.
- Extra soft, low pressure foam, and tapered for comfort and fit.
- Shaped to fit even very small ear canals.
- Nonirritating smooth surface.
- 100% PVC-free for a greener alternative.

Color: Blue and Green Swirls

Type: Disposable; Uncorded

Packing Type: Box



SKU	Noise Reduction	Body Material
507-6680	33 dB	Soft Foam

SparkPlugs® Foam Earplugs

Features:

- Extra soft foam and tapered design fit snugly and comfortable in the ear.
- Bright, fun colors provide easy compliance checks.

Test & Approvals: ANSI S3.19-1974

Color: Assorted



SKU	Noise Reduction	Type	Quantity
507-6604	33 dB	Uncorded	200 pair per box
507-6654	33 dB	Corded	100 pair per box

ERGONOMIC PROTECTION

Back Supports



Economy Belts

Features:

- Protects lower lumbar region and limits range of motion associated with most back injuries.
- Elastic back panels and elastic V-shaped side pulls provide consistent, even support.
- Elastic suspenders are detachable.

Color: Black



SKU	Size Group	Fastening Method	Length	Wt.
037-7176-02	Medium	Velcro	38 in	0.68 lb
037-7176-03	Large	Velcro	47 in	0.73 lb
037-7176-04	X-Large	Velcro	56 in	0.78 lb

Knee Pads



AltaPRO™ AltaLOK™ Hard Cap Industrial Knee Pads

Features:

- Hard round plastic cap allows for swiveling and pivoting during continuous on-the-ground jobs.
- Compression recovery 1/2 in foam padding provides firm, consistent support without bottoming out.

Resistance: Debris; Dirt; Moisture

Size Group: One Size Fits Most

Color: Orange; Gray

SKU	Material	Fastening Method
039-50903-50	Cordura® Nylon Covering; Polyester/Jersey/Neoprene; Polyethylene	AltaGrip™ Hook and Loop



Leather Knee Pads

Features:

- Leather with sponge padding.
- Two adjustable straps.
- Abrasion resistant without the slipping effects of plastic caps.
- Lightweight.

Resistance: Pressure

Size Group: Universal

Color: Brown

SKU	Material	Fastening Method
902-63KP	Leather	Adjustable Strap

EYE PROTECTION

Safety Glass Parts & Accessories



Lens Cleaning Towelette Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Strategic placement of towelette dispensers throughout a facility will promote proper lens cleaning habits and extend the life of prescription and non-prescription eyewear.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.



SKU	Includes	Length	Width
101-70-AB	100 Packaged Towelettes	8 in	5 in



Slip-On Sideshields

Features:

- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.
- Easy-on, easy-off.

SKU	Width
292-99705	2 in




Lens Cleaning Stations

Features:

- For cleaning stations or easy-to-use disposable lens cleaning towelettes.
- Lens cleaning towelettes and stations prevent fogging and reduce static.
- Excellent for cleaning glass, plastic and polycarbonate.



SKU	Includes
292-LCS080600	(1) 8 oz Spray Pump Lens Cleaning Solution; (600) Tissues
292-LCS161200	(1) 16 oz Spray Pump Lens Cleaning Solution; (1200) Tissues



Slip-On Sideshields

Features:

- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.
- Easy-on, easy-off

SKU	Length	Width
292-99700	4.6 in	2.5 in

Safety Glasses



3M™ SecureFit™ Protective Eyewear

Features:

- Secure, snug fit keeps eyewear in place without slippage even when the person is in motion.
- Features proprietary self-adjusting 3M™ Pressure Diffusion Temple Technology.
- Dual-injected, padded temple touchpoints for added comfort over the ears.

Test & Approvals: ANSI Z87.1; ANSI Z87.1-2015; CSA Z94.3

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Resistance: 99.9% UVA/UVB

SKU	Frame Color	Temple Color
247-SF201AF	Clear	Clear



3M™ SecureFit™ Protective Eyewear

Features:

- Soft, adjustable nose pads for personalization.
- Proprietary self-adjusting 3M™ pressure diffusion temple technology.
- Dual-injected, padded temple touchpoints for added comfort over the ears.
- Motion-inspired, contoured piping in a bold, modern color palette for an infusion of style.

Test & Approvals: ANSI Z87.1

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Resistance: 99.9% UVA/UVB

SKU	Frame Color	Temple Color
247-SF401AF	Green/Black	Black



3M™ Virtua™ CCS Protective Eyewear

Features:

- Comfortable, lightweight frame features the Virtua™ Cord Control System (CCS) with an optional foam gasket attachment.
- Designed to keep a corded earplug attached, untangled, and ready-for-use.
- Foam gasket helps limit eye exposure to nuisance dust while providing additional cushioning.
- Readers available.

Test & Approvals: ANSI-ISEA Z87.1-2020

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog

Resistance: 99.9% UVA/UVB; Fog

SKU	Frame Color	Temple Color	Lens Tint
247-11872-00000-20	Clear	Light Blue	Clear
247-11873-00000-20	Clear	Light Blue	Gray



ANCHOR Contemporary Bifocal Safety Glasses

Features:

- Nylon frames, nose and ear pads.
- Anti-fog venting.
- Extended shape for better protection.

Test & Approvals: ANSI Z87+

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Clear

Resistance: Scratch; Shatter; UVA/UVB

SKU	Frame Color	Temple Color	Diopter Strength
101-CC150	Black	Black	1.5
101-CC175	Black	Black	1.75



Full-Lens Magnifying Safety Glasses

Features:

- Ideal for close-up work.
- Side shields.
- Perfect for under a welding helmet.

Test & Approvals: ANSI Z87+

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Clear

Resistance: Fog; Scratch; Shatter; UVA/UVB

SKU	Frame Color	Temple Color	Diopter Strength
101-MS150	Clear	Clear	1.5
101-MS175	Clear	Clear	1.75
101-MS200	Clear	Clear	2.0
101-MS250	Clear	Clear	2.5



bolle CONTOUR Safety Glasses

Features:

- Ultra-lightweight half-frame.
- Non-slip bridge.
- Thin TIPGRIP temples for better support.

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Resistance: Fog; Scratch

SKU	Frame Color	Temple Color	Lens Tint
286-40044	Bronze	Black Tips; Bronze	Clear
286-40045	Gray/Black	Black Tips; Gray	Smoke



**KLEENGUARD™
V30 Nemesis™
Safety Glasses**



Features:

- Safety glasses feature a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

Test & Approvals: ANSI/ISEA Z87.1+

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/ Shade	Resistance
412-14481	Black	Black	Blue Mirror	Mirror	99.9% UVA/UVB/ UVC
412-22475	Black	Black	Smoke	Anti-Fog	99.9% UVA/UVB/ UVC; Fog
412-22611	Red	Red	Smoke	Anti-Fog	99.9% UVA/UVB/ UVC; Fog
412-25671	Black	Black	IRUV Shade 5	Uncoated; IRUV Shade 5	99.9% UVA/UVB/ UVC
412-25676	Black	Black	Clear	Uncoated	99.9% UVA/UVB/ UVC
412-25679	Black	Black	Clear	Anti-Fog	99.9% UVA/UVB/ UVC; Fog
412-25685	Black	Black	Indoor/ Outdoor	Uncoated	99.9% UVA/UVB/ UVC
412-25688	Black	Black	Smoke Mirror	Mirror	99.9% UVA/UVB/ UVC



**JACKSON®
SG Series Safety Glasses**



Features:

- Frames are lightweight for added comfort and ultra-flexible for a near custom fit.
- Specially formulated ultra-strong material offers unmatched durability and toughness.
- Comes complete with a convenient neck cord to prevent loss.
- Wraparound style lenses extend eye protection to the periphery.
- Choose SG Infrared to safeguard workers from welders flash (50008, 50010).
- Select SG Readers for those who need reading glasses and impact protection at one time (50040, 50041, 50042).

Lens Material: Polycarbonate

Lens Coating/Shade: Hardcoat Anti-Scratch

Resistance: Scratch

SKU	Frame Color	Temple Color	Lens Tint
138-50010	Black	Black	IR 5.0
138-50006	Black	Black	Smoke Mirror
138-50004	Black	Black	Indoor/Outdoor
138-50009	Black	Black	Blue Mirror



Ultra-spec® 2001 OTG Eyewear

Features:

- Lightweight over-the-glass unilens design fits over Rx eyewear.
- Adjustable duoflex® temples.
- Imprinting option available.

Test & Approvals: ANSI; CSA

Lens Tint: Clear

Lens Material: Polycarbonate

Resistance: Fog

SKU	Frame Color	Temple Color	Lens Coating/Shade
763-S0112	Clear	Clear	Anti-Scratch; Hard Coat
763-S0112C	Clear	Clear	Anti-Fog



Protector™ Safety Glasses

Features:

- Streamlined, ergonomic, lightweight design is perfect protective eyewear for both men and women.
- Rubber-tipped temples for a secure comfortable fit.
- Distortion free lens reduces eye fatigue.
- Hard coat lens provides scratch resistance.
- Tough, polycarbonate lens is impact resistant.

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/ Shade	Resistance
292-DPG54-11D	Clear	Clear; Yellow	Clear	Anti-Fog; Hard Coat	99.9% UVA/UVB; Fog; Scratch
292-DPG54-2D	Smoke	Smoke; Yellow	Smoke	Hard Coat	99.9% UVA/UVB; Scratch
292-DPG54-9D	Clear	Clear; Yellow	Indoor/ Outdoor (I/O)	Hard Coat	99.9% UVA/UVB; Scratch



V60 Nemesis™ Rx Readers Prescription Safety Glasses

Features:

- Features a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Corrective lenses are hard coated for scratch resistance and longer life.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

Test & Approvals: ANSI Z87.1+

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Hard Coated

Resistance: 99.9% UVA/UVB/UVC; Scratch

SKU	Frame Color	Temple Color	Diopter Strength
412-28621	Black	Black	+1.5
412-28624	Black	Black	+2.0



Checklite® CL1 Frameless Safety Glasses

Features:

- Rugged polycarbonate lens.
- Filters 99.9% of harmful UV rays.
- Smaller frame sized to fit smaller faces.
- Good for everyday use or a new visitor spec.
- Options available with Duramass® scratch resistant coating or UV-AF® anti-fog coating.

Test & Approvals: ANSI Z87.1+

Lens Tint: Clear

Lens Material: Polycarbonate Lens with Nose Piece

SKU	Frame Color	Temple Color	Lens Coating/ Shade	Resistance
135-CL110	None	Clear Polycarbonate	Duramass® Hard Coat	99.9% UV; Scratch
135-CL110AF	None	Clear Polycarbonate	UV-AF® Anti-Fog	99.9% UV; Anti-Fog; Scratch



Swagger® SRI Series Safety Glasses

Features:

- Go bold, with safety glasses that present a thick, wide, sleek low profile and a modern design.
- Safety glasses offer an excellent orbital seal.
- Soft material co-injected onto temples.
- Soft secure TPR nose pad for additional comfort.

Test & Approvals: Meets or Exceeds ANSI Z87+ Standards

Lens Tint: Blue Diamond Mirror

Lens Material: Polycarbonate

Lens Coating/Shade: Duramass® Hard Coat

Resistance: 99.9% UV; Scratch

SKU	Frame Color	Temple Color
135-SR148B	Clear	Clear
135-SR118B	Black	Black



The Safety Company



Arctic™ Elite Protective Eyewear

Features:

- Ultramodern look with a comfortable, lightweight fit.
- Anti-fog coating ensures good vision under any conditions.
- Flexible rubber-tipped temples and nosebridge provide comfortable, all-day wearing.

Test & Approvals: ANSI/ISEA Z87.1-2010 (z87+)

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog

Resistance: Fog

SKU	Frame Color	Temple Color	Lens Tint
Humid Indoor Use			
454-10038845	Clear	Blue	Clear
General Outdoor Use			
454-10038846	Black/Gray	Gray	Gray



Revelation™ Safety Eyewear



Features:

- Five-position ratchet temples provides a comfortable safety glass fit.
- Four-position temple length adjustment.
- Soft, non-slip rubber nose pad with self-adjusting fingers.
- Built-in ventilation channel provides extra fog control.

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/ Shade	Resistance
292-RV0110ID	Black	Black	Clear	Clear	99.9% UVA/UVB; Fog
292-RV0112ID	Black	Black	Smoke	Anti-Fog	99.9% UVA/UVB



Smith & Wesson®



Elite® Safety Glasses

Features:

- Designed to be both stylish and comfortable.
- Dual lens offer wrap-around protection, and the wide temple provides structural integrity and stability.
- Lightweight and feature a retro design that provides a stylish fashion statement.
- Provides 99.9% UV protection (UVA/UVB/UVC).
- Includes a Smith & Wesson® branded microfiber carry bag that doubles as a cleaning cloth.
- Available in a variety of styles.

Test & Approvals: ANSI Z87.1+

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/ Shade	Resistance
412-21302	Black	Black	Clear	Anti-Fog	99.9% UVA/UVB/ UVC; Fog
412-21303	Black	Black	Smoke	Uncoated	99.9% UVA/UVB/ UVC

Safety Goggles



Soft Protective Goggles

Features:

- Soft frame fits snugly and comfortably over face and prescription glasses.
- Transparent frame allows vision in all directions.
- Direct ventilation is provided by perforations in the frame on top and bottom.

Test & Approvals: Meets ANSI Z87.1+

Lens Material: Polycarbonate

Frame Material: Vinyl

Ventilation: Direct

Strap Material: Elastic

SKU	Frame Color	Lens Tint
101-AB-G350	Clear	Clear



Soft-Sided Goggle

Features:

- Soft frame fits snugly and comfortably over face and Rx glasses.
- Hooded vents offer maximum fog-free protection.
- Accommodates magnifier plate.
- Complete with shade 5 lens.

Lens Coating/Shade: IR/UV 5.0

Lens Material: Hardened Glass

Frame Material: Vinyl

Ventilation: Hooded Vent

Strap Material: Elastic

SKU	Frame Color	Lens Tint
901-WG-2414SLF	Green	Green



Atom Safety Goggles

Features:

- High-impact polycarbonate lens.
- Wide peripheral viewing and superior optical quality.
- Features convenient indirect lower vents.

Test & Approvals: ANSI Z87.1

Lens Coating/Shade: Anti-Fog; Anti-Scratch

Lens Material: Polycarbonate

Frame Material: PVC

Ventilation: Indirect Lower Vents

Strap Material: Cloth

SKU	Frame Color	Lens Tint
286-40092	Blue	Clear



Stealth® Goggles

Features:

- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.
- Prescription insert available.

Lens Coating/Shade: HydroShield™ Anti-Fog

Lens Material: Polycarbonate

Frame Material: Elastomer

Ventilation: Indirect Vent

Strap Material: Neoprene, Rubber



SKU	Frame Color	Lens Tint
763-S3960HS	Gray	Clear



V90 Shields with Monogoggle™ XTR OTG Goggles

Features:

- The shield features the Monogoggle™ XTR OTG goggles, so there is no need to wear primary eye protection, like with other face shields.
- It's like having two products in one, since the face shield mask detaches from the splash goggles.
- Provides eye and full face protection from liquids and particles without the hassle of primary eye protection underneath a face shield mask.
- The shield has a D3 rating for droplet and splash protection.
- The goggles portion has a soft, pliable frame that conforms to the face for comfort, a cylindrical lens for increased visibility, indirect ventilation, and fit over most prescription glasses.
- The face shield mask is curved to conform to the shape of face for added protection and includes an adjustable strap.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Replacement goggle lenses available (30707, 30708).
- Available in a variety of styles.

Test & Approvals: ANSI Z87.1+

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate Face Shield and Goggles

Frame Material: PVC Frame and Nose Piece

Ventilation: Goggles with Indirect Ventilation

Strap Material: Polyester/Rubber Weave

SKU	Frame Color	Lens Tint
412-18629	Blue	Clear

FALL PROTECTION

Fall Protection Kits



RK6 Roofer's Fall Protection Kits

Features:

- Peakworks® Roofer's Kit Fall Protection System includes an adjustable full body harness, a rope grab with integral shock absorber, re-usable roof anchor bracket, and a waterproof bucket.
- The 3-Point adjustable full body harness features quick-connect pass through buckles and polyester webbing for lightweight comfort and dependability.
- The vertical lifeline is specifically designed from high strength polysteel rope.
- The manual rope grab includes an integral 3 ft. shock absorbing lanyard with a double locking snaphook.
- The re-usable roof anchor bracket includes an attachment D-ring.

Size Group: Universal

Fastening Method: Pass Thru chest and legs

Line Length: 50 ft

SKU	Includes	Weight Capacity
853-V8257275	(1) 3 Pt Harness; Reusable Angorage; 50 ft Life Line w/Rope Grab; Pail	310 lb



Roofing Fall Protection Kits

Features:

- Contains all of the necessary products for safety and fall protection code compliance.
- Easy to install and use on a range of roof pitches.
- Includes BaseWear harness with tongue buckle leg straps, reusable roof anchor, 30ft Poly-dac rope, and a manual rope grab with an integrated 3ft shock absorbing lanyard.
- Packaged in waterproof bucket.

Size Group: Universal

Fastening Method: Tongue Buckle

Line Length: 30 ft

SKU	Includes
865-K112101	BaseWear Harness with Tongue Buckle Leg Straps; Reusable Roof Anchor; 30 ft Poly-Dac Rope; Manual Rope Grab with Shock Absorbing Lanyard; Waterproof Bucket

Fall Protection Parts & Accessories

Honeywell
MILLER AUTHORIZED DISTRIBUTOR

TurboLite™ Single Personal Fall Limiters

Features:

- Reduces fall clearance requirements.
- Available in 6-foot and 9-foot lengths to meet the needs of a wide variety of applications.
- Extremely compact and lightweight, comparable to a shock-absorbing lanyard.
- Attaches directly to the back D-ring of a harness for increased mobility.
- High-impact resistant nylon housing and abrasion-resistant webbing provide long service life.
- Integral swivel prevents lifeline from twisting.
- Rated for up to a 400 lb (181.4 kg) worker.

Test & Approvals: Meets Requirements of OSHA, ANSI Z359.14 Class A and B, and CSA Z259.2.2

Material: High Impact Nylon Housing

Load Cap.: 400 lb (181.4 kg)

Used With: Anchor Points; Harness D-Ring



SKU	Includes	Opening Size	Connection Type
493-MFL-3-Z7/9FT	(1) Steel Snap Hook	Snap Hook 3/4 in (19.1 mm)	Lanyard End Steel Snap Hook; No Unit Connector
493-MFL-12-Z7/9FT	(1) Aluminum Carabiner; (1) Aluminum Rebar Hook	Carabiner 1 in (25.4 mm); Rebar Hook 2-1/2 in (63.5 mm)	Lanyard End Aluminum Rebar Hook; Unit Aluminum Carabiner
493-MFL-1-Z7/6FT	(1) Steel Twist-Lock Carabiner; (1) Steel Locking Snap Hook	Twist-Lock Carabiner 1 in (25.4 mm); Locking Snap Hook 3/4 in (19.1 mm)	Lanyard End Steel Locking Snap Hook; Unit Steel Twist-Lock Carabiner
493-MFL-2-Z7/6FT	(1) Steel Twist-Lock Carabiner; (1) Steel Locking Rebar Hook	Twist-Lock Carabiner 1 in (25.4 mm); Locking Rebar Hook 2-1/2 in (63.5 mm)	Lanyard End Steel Locking Rebar Hook; Unit Steel Twist-Lock Carabiner



I-Beam Sliding Anchors

Features:

- Lightweight aluminum design moves smoothly across beam.
- Fits beams up to 1-1/4 in thick.
- Fits beam flanges from 3-1/2 in to 14 in.
- Easily adjusted with swivel D-ring for connection.

Material: Aluminum

Connection Type: D-Ring

SKU	Load Cap.
865-A550000	5000 lb

Reusable Concrete Anchors

Features:

- Lightweight design is easy to insert and remove.
- Drill hole of 3/4 inch with 3-1/2 inch minimum depth.
- Minimum 3000 psi concrete.
- Multi-directional use.

Material: Stainless Steel; Aircraft Cable

Connection Type: Ring



SKU	Load Cap.
865-A510000	5000 lb

Harness Parts & Accessories

3M | **SALA** **PROTECTA**
Fall Protection



3M™ DBI-SALA® Suspension Trauma Safety Straps

Features:

- Helps prevent the effects of suspension trauma after a fall.
- Allows worker who is suspended to stand up in their harness to relieve pressure.
- A safety accessory that can be attached to most harness brands/styles right in the field.

Test & Approvals: OSHA

Includes: Zipper Pack for Storage

Length: 6-1/4 in - 9 in

Strap Material: Nylon

SKU	Load Cap	Color
098-9501403	310 lb	Black



Squids® Tool Lanyards

Features:

- Adjustable barrel lock for tool attachment.
- Aluminum carabiner.
- Cord stretches for full range of motion.
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread.
- Tethers tools to worker to help prevent injury and lost productivity from dropped tools.
- Lock stitching at both ends for extra security.

Length: 35 in - 42 in

Strap Material: Tubular Nylon Webbing with Silver Mylar Reflective Thread



SKU	Load Cap	Color
150-19002	10 lb	Black

Harnesses



3M™ DBI-SALA® ExoFit NEX™ Wind Energy Positioning Climbing Harness

Features:

- Hybrid shoulder, back and leg comfort padding with soft edging wraps around the wearer for the ultimate in comfort, security and no-tangle donning.
- Stand-up Tech-Lite™ aluminum back D-ring's patented spring-loaded design automatically stands-up ensuring fast, easy and safe connections to your fall arrest system.
- Tech-Lite™ aluminum front D-ring frontal attachment point is ideal for connection to a permanent ladder safety system.
- Tech-Lite™ aluminum side D-rings are ideal for positioning, to hold and sustain you at a specific work location.
- Radio/climbing sleeve holster conveniently holds and protects a radio, cell phone, or other item like a Lad-Saf™ sleeve.

Connection Type: Back, Front & Side D-Rings

Fastening Method: Quick Connect Buckles

Material: Aerospace Mesh; EVA Foam; Nylon; Polyester; Zinc Plated Steel



SKU	Size Group	Load Cap.
098-1113211	Medium	420 lb
098-1113212	Large	420 lb



Revolution™ Harnesses

Features:

- Unique rotary PivotLink™ connection.
- Integrated accessory system provides connection points for belts/tools/accessories.
- Easy, one-hand adjustment cam buckles.
- Semi-flexible ErgoArmor™ back shield.
- Web finials safely organize webbing.
- Self-contained label pack.

Connection Type: Stand-Up D-ring

Fastening Method: Quick-Connect Buckle Legs

Style: Full-Body

Material: DualTech™ Webbing



SKU	Size Group	Load Cap.
493-RDT-QC/UBK	Universal	400 lb

Titan™ II Non-Stretch Harnesses

Features:

- Designed for more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow while working at heights.
- Easier vertical adjustability that stays in place.
- Back strap increases safety by preventing roll out in the event of a fall.
- Oversized ID tags provide quick and easy harness size identification.

Connection Type: Back D-Ring

Fastening Method: Friction Shoulder Buckles; Mating Chest Buckles; Tongue Leg Buckles

Style: Full-Body Harness

Material: Elastic; Evoprene/Nylon Label Pack; Polyester Thread/ Webbing; Stainless Steel/Steel Hardware



SKU	Size Group	Load Cap.
493-T4500/UAK	Universal (Large/X-Large)	400 lb



V-FORM™ Full-Body Harnesses

Features:

- The patent-pending RaceFORM™ buckle allows for a close comfortable full body harness fit - eliminating the need for a bulky chest strap.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment that ensures a proper fit that lasts throughout the work day.
- Harnesses with front D-ring option have standard quick-connect chest buckle.

Test & Approvals: ANSI Z359.11; CSA Z259.10; OSHA

Connection Type: Back D-Ring

Fastening Method: RaceFORM™ Quick-Connect Chest Buckle; Tongue Leg Buckles

Style: No Padding; Racing Style

Material: Stainless Steel D-Ring; Steel Hardware



SKU	Size Group	Load Cap.
454-10196642	Standard	400 lb



ProForm™ F3 Full Body Harnesses

Features:

- Built in Relief Cord™ assist user to get into the Chair in the Air after fall arrest.
- Dual-Back pad system allows user to reposition the pad after a fall to reduce pressure on the clavicle.
- Innovative roll down torso web keepers allow convenient storage of excess web.
- SRL bumper protects lower back from contact when wearing personal SRL's.
- Aluminum Cam Torso Adjuster provides easy adjustment for ultimate fit.
- Polyester WebAlert™ 2 inspectable webbing now contains a weather-resistant coating.

Connection Type: Quick Connect

Material: Polyester



SKU	Size Group	Load Cap.
865-H013002	Medium/Large	425 lbs

Ladder Safety System Parts & Accessories



Extension Ladder WalkThru Gates

Features:

- Designed to fit at the top of the handles of the Model X300000 Werner WalkThru.
- The gate closure is magnetic to stay secure and stay connected yet be able to open.
- This gate has a robust spring for continued use over and over.
- Meets compliance standards OSHA 1910 & 1926.



SKU	Material
865-X300001	Aluminum

Extension Ladder WalkThrus

Features:

- Enhanced Stability - Dual clamping system locks rail extensions onto ladder rails.
- Designed for use with Werner Type II, I, IA, and IAA extension ladders.
- Wide base provides additional contact area on the work surface while transitioning.
- Meets compliance standards OSHA 1910 & 1926.



SKU	Material
865-X300000	Aluminum

Lanyards



3M™ DBI-SALA® Nano-Lok™ Personal Twin-Leg Self Retracting Lifeline

Features:

- Extremely compact, lightweight design.
- Tough and impact resistant thermoplastic housing.

Load Capacity: 420 lb

Hook Type: Snap Hook

No. of Legs: 2



SKU	Connection Type
098-3100548	Snap Hook

3M™ DBI-SALA® ShockWave™ 2 100% Tie-Off Shock Absorbing Lanyard

Features:

- Expands and contracts.
- Abrasion resistant polyester tubular webbing.
- Energy absorbing design limits fall arrest forces.

Test & Approvals: Meets or Exceeds all Applicable Industry Standards Including OSHA, ANSI and the Stringent ANSI Z 359

Load Capacity: 310 lb

Hook Type: Snap; Steel Rebar

No. of Legs: 2



SKU	Length	Connection Type
098-1244412	6 ft	Self-Locking Snaps



Squids® 3100 Tool Lanyards

Features:

- Captive eye design better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate.
- Durable, made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security.
- Locking screw-gate aluminum carabiner for easy, secure attachment to tools.

Load Capacity: 5 lb

No. of Legs: 1

SKU	Length	Connection Type
150-19003	42 in	Screw-Gate Locking/Single Carabiner



V-Series Standard Single-Leg Shock Absorbing Lanyards

Features:

- Limits force on the body in a fall and on anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life and allow easy inspection.

Test & Approvals: ANSI Z359.13; OSHA

Load Capacity: 130 lb to 310 lb

Hook Type: Small Snaphooks

No. of Legs: 1



SKU	Length
454-10191755	6 ft

V-Series Standard Twin-Leg Adjustable Shock Absorbing Lanyards

Features:

- Limits force on the body in a fall and on anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life and allow easy inspection.

Test & Approvals: ANSI Z359.13; OSHA

Load Capacity: 130 lb to 310 lb

Hook Type: Large Snaphooks

No. of Legs: 2



SKU	Length
454-10191758	6 ft

Rescue Systems



11 FT Max Patrol™ Self Retracting Lifelines

Features:

- 1 inch UHMWPE / polyester webbing with WebAlert™.
- Thermoplastic housing.
- Swivel top with steel carabiner included.
- Aluminum rebar hook has a gate opening of 2-7/16 inches (63 mm).
- Steel form hook has a gate opening of 2-3/4 inches (70 mm).

Length: 11 ft

Material: Polyester Webbing with WebAlert™



SKU	Includes
865-R430011	Swivel Top with Steel Carabiner

6 FT Bantam Compact Self Retracting Lifelines

Features:

- Lightweight and compact construction with 6ft Dyneema/Polyester web working length.
- Impact Resistant Nylon Housing with swivel top.
- Durable labels and shock pack cover to aid inspection.
- Meets ANSI z359.14, Class A and OSHA Standards.

Length: 6 ft

Material: Webbing; High Impact Nylon



SKU	Includes
865-R430006	Swivel Top with Steel Carabiner

Max Patrol™ Self Retracting Lifelines

Features:

- Galvanized steel cable lifeline with swivel snap hook.
- Carry handle allows for easier transport.
- Recessed labels and durable shock pack cover to aid inspection.
- Blue accent provides clear identification of Class 1: Overhead only and Yellow accent provides clear identification of Class 2: Leading Edge.

Material: Galvanized Steel Cable; ThermoPlastic



SKU	Includes	Length
865-R410030	Swivel Top with Steel Carabiner	30 ft
865-R410020	Swivel Top with Steel Carabiner	20 ft
865-R410030LE	Swivel Top with Steel Carabiner	30 ft

FIRE, GAS & WATER PROTECTION

Detector Parts & Accessories



THE POWER OF CONNECTED

GasAlert Replacement Sensor

Features:

- Replacement sensor for Gas Alert Micro Clip XT, Gas Alert Micro Clip XL, GasAlert Extreme, GasAlert Micro 5, Gas Alert Quattro, and GasAlert Max XT II.

Temp Range: -4° F - 122° F

Includes: Oxygen Sensor

Sensor Type: O2



SKU	Type	Used With
126-SR-X2V	Replacement Oxygen Sensor, 0-30%	Gas Alert Micro Clip XT; Gas Alert Micro Clip XL; GasAlert Extreme, GasAlert Micro 5; Gas Alert Quattro; GasAlert Max XT II

Detectors

Honeywell
THE POWER OF CONNECTED



Clip Single-Gas Detectors

Features:

- One button operation.
- Operates up to two years use without calibration, sensor replacement, or battery recharging/replacement.
- Wide angle flash which alerts simultaneously with audible and vibrating alarm.
- Automatic logging of the 35 most recent gas events.
- Compatible with IntelliDoX, Fleet Manager II Software.

Test & Approvals: IP66/IP67 Rated

Sound Level: 95 dBA

Display Type: LCD

Power Source: Lithium Battery

Sensor Type: Surecell™

SKU	Includes	Gas Type	Run Time
Alarm Setting: Low 10 ppm; High 15 ppm			
126-BWC2-H	Specified Sensor; Stainless Steel Alligator Clip; Concussion-Proof Housing; Test Cap; Instructions	Hydrogen Sulfide	2 Years
Alarm Setting: Low 35 ppm; High 200 ppm			
126-BWC2-M	Specified Sensor; Stainless Steel Alligator Clip; Concussion-Proof Housing; Test Cap; Instructions	Carbon Monoxide	2 years
Alarm Setting: Low 19.5%; High 23.5%			
126-BWC2-X	Specified Sensor; Stainless Steel Alligator Clip; Concussion-Proof Housing; Test Cap; Instructions	Oxygen	2 Years
Alarm Setting: Low 5 ppm; High 15 ppm			
126-BWC2-H515	Specified Sensor; Stainless Steel Alligator Clip; Concussion-Proof Housing; Test Cap; Instructions	Hydrogen Sulfide	2 years



GasAlertMax XT II

Features:

- Reliably monitors for up to four gas hazards.
- Combines straightforward one-button field operation with an integrated sampling pump.
- Tamper-proof, user-adjustable options enable the instrument to be customized to user's application.
- Powered by a rechargeable battery pack that provides runtime for an entire 13 hour shift.
- Includes standard event logging and data logging.

Test & Approvals: SIRA/CSA Group: Class I, Div. 1, Gr. A, B, C, D; American Bureau of Shipping, ATEX: X g II T G, Ga Ex ia IIC T4, IECEx: Ga Ex ia IIC T4; CE

Gas Type: Oxygen; Hydrogen Sulphide; Carbon Monoxide; LEL

Temp. Range: -4° F - 122°F

Sound Level: 95 dB

Display Type: LCD

Power Source: Lithium Ion Battery

Run Time: 13 h

SKU	Includes
126-XT-XWHM-Y-NA	Detector complete with specified sensor(s) and alligator clip; Rechargeable lithium polymer battery; Charging adaptor; 3 ft calibration hose with quick connect; 10 ft sampling hose with particulate filter and quick connect reversible screwdriver; Kit of five spare pump filters; Manual; Multi-language CD manual



ALTAIR® 4XR Multigas Detectors

Features:

- Quickly update MSA ALTAIR 4XR settings via the ALTAIR Connect app (available on the Google Play Store).
- Send event notifications via text message with the ALTAIR Connect app.
- Confirm compliance quickly with the Bump LED and on-screen checkmark.
- Stay connected with alerts from the field for live gas readings, InstantAlert™ distress calls, MotionAlert™ man-down alarms, and non-compliance warnings.
- Survives 25 drops from 4 ft and an incidental 25-ft drop onto concrete.
- Waterproof and dustproof IP68 rated.

Gas Type: Carbon Monoxide (CO); Hydrogen Sulfide (H2S); Lower Explosion Limit (LEL); Oxygen (O2)

Temp. Range: -40° F (-40° C) - 140° F (60° C)

Sound Level: 95 dB at 1 ft

Display Type: LCD

Power Source: Rechargeable Li-Polymer Battery

Run Time: 24 hr



SKU	Includes	Sensor Type
454-10178557	Charcoal Case; North American Charger	XCell®

ALTAIR® Single-Gas Detectors

Features:

- Maintenance-free, with visual, audible and vibrating triple alarm.
- Datalog provides up to 25-event records.
- Can be calibrated if it fails a bump test.
- Proprietary leak-free sensor for better stability in extreme temperatures.
- Wrapped in rubberized armor for superior impact protection.
- Survives multiple 20 ft drops onto concrete.
- Waterproof and dustproof IP67 rated.

Test & Approvals: Water and Dust IP67 Rated; Class 1, Division 1, Groups A, B, C, and D

Temp. Range: -4° F (-20° C) - 122° F (50° C)

Sound Level: 95 dB at 1 ft

Display Type: LCD

Power Source: Lithium Battery

Run Time: 24 months



SKU	Sensor Type	Gas Type
454-10092521	Button® Cell toxic gas sensor	Hydrogen Sulfide (H2S)
454-10092523	Button® Cell toxic gas sensor	Oxygen (O2)

Fire Extinguishers



PRO 210 Consumer Fire Extinguishers

Features:

- Multipurpose rechargeable fire extinguisher.
- Tough aluminum valve assembly.
- Fitted with pressure gauge that allows for at-a-glance status check.
- Powder coated cylinder for corrosion protection.

Test & Approvals: U.S.C.G.; DOT Approved; UL 2-A; 10-B:C

Fire Type: Class A, B and C Fires

Mounting Position: Upright

Operating Temp.: -40° F - 120° F

Operating Distance: 10 ft - 15 ft



SKU	Capacity Wt.	Extinguishing Material
408-21005779	4 lb	Monoammonium Phosphate

Pro Plus Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type

Features:

- Easy-to-read gauge tells you fire extinguisher is charged and ready for use.
- Rechargeable fire extinguisher for multi-purpose use.
- Clear instruction label using graphics to show steps required to operate extinguisher.
- Easy-to-pull safety pin.
- Tough impact resistant metal valve, handle, and lever.
- Powder coated cylinder for corrosion protection.

Test & Approvals: UL Rated 1-A:10-B:C

Fire Type: Class A/B/C Fires

Mounting Position: Upright



SKU	Capacity Wt.	Extinguishing Material	Operating Temp.	Operating Distance
408-468000	2.5 lb (Average)	Monoammonium Phosphate	-40° F - 120° F	10 ft - 15 ft
408-468002	10 lb (Average)	Monoammonium Phosphate	-40° F - 120° F	16 ft - 20 ft
408-468003	20 lb (Average)	Monoammonium Phosphate	-40° F - 120° F	16 ft - 20 ft

FIRST AID SAFETY

Antiseptics



Respirator Cleaning Pads

Features:

- Quick and easy answer for cleaning rubber respirator face pieces and other personal safety equipment.
- Individually foil-packaged, non-woven cloths saturated with 70% Isopropanol.



Quantity: 100 per box

SKU
037-1001

Eye Wash



Eye and Skin Flush Emergency Station/Replacement Twin Bottles



Features:

- Eye flush kit with 2 bottles and wall mount station.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Bottles of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.

Capacity Vol.: 16 oz

Hose Material: Plastic

SKU	Type
579-24-102	Eye Wash Station

Eye Flush Bottles

Features:

- Bottle of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Plastic squeeze bottle and nozzle help create a fluid stream to direct solution into the affected areas.



Capacity Vol.: 16 oz

Hose Material: Plastic

SKU	Type
579-24-101	Eye Wash



AquaGuard Gravity-Flow Eye Wash Refills



Features:

- Bacteriostatic additive refill.
- Eyewash unit should be inspected regularly and water in unit should be changed at least once every six months.
- One 8 oz bottle will preserve up to 20 gallons of potable water for up to six months.

Capacity Vol.: 8 oz

SKU	Type
333-G1540BA-R	Eyesaline Solution

AquaGuard Gravity-Flow Eye Washes



Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads.
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit).
- Water flow is activated by pulling down on bright yellow eye wash tray.
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow.
- Waste water is directed into drain opening in tank basin, 3 ft.
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface.

Test & Approvals: Meets ANSI Standards Z358.1 Classified Primary

SKU	Capacity Vol.
333-G1540	16 gal

Honeywell

Eyewash Wall Stations

Features:

- Mounts to wall with provided screws.
- Overhang protects bottles from dust and debris.
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency.
- Holds factory-sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency.
- Simple, highly visible, operating instructions are provided on each unit.
- Durable, easy to clean plastic.



SKU	Type	Capacity Vol.
203-32-000465-0000	Eyewash Wall Station (Double Bottle)	16 oz
203-32-000460-0000	Eyewash Wall Station (Single Bottle)	16 oz
203-32-000461-0000	Eyewash Wall Station (Single Bottle)	32 oz
714-32-000462-0000-H5	Eyewash Wall Station (Double Bottle)	32 oz

Honeywell

Pure Flow 1000® Emergency Eyewash Stations

Features:

- Delivers Eyesaline® Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module.
- Constant fluid flow rate and stream height for 15 minutes.
- Highly visible green color provides easy identification in an emergency situation.
- Sure-grip handle provides instant, simple activation.
- Activation straps display expiration date.
- Integral drain valve allows easy draining of reservoir after use.
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal.
- Cover keeps dirt and trash from collecting in the basin and nozzle.
- Upon activation, the dust cover rotates downward, exposing the nozzles and collection basin.

Test & Approvals: SEI Certified to Meet ANSI Z358.1

Flow: 0.4 gpm

Working Pressure: 0.4 gpm



SKU	Capacity Vol.
203-32-001000-0000	7 gal

Pure Flow 1000® Recommended Refills & Accessories

Features:

- Up to 24 month cartridge life.
- Preserved, buffered, pH balanced, saline solution.
- Cartridge change takes less than 5 minutes.

Capacity Vol.: 7 gal



SKU	Type
203-32-001050-0000-H5	Saline Cartridge

First Aid Kits



10 Person First Aid Kits

Features:

- ANSI Standard compliant.
- Durable plastic case.
- Water resistant gasket.



SKU	Length	Width	Height
101-10-9-FAKP	5.5 in	8.75 in	3 in



25 Person First Aid Kits

Features:

- 25 Person First Aid Kits, ANSI.
- Come with either a durable plastic or metal case.

Length: 10 in

Width: 7 in

Height: 3 in

SKU	Usage	Case Material
101-25-3-FAKP	First Aid	Plastic

4 Shelf First Aid Cabinets and Refills

Features:

- First Aid Cabinet with 4 shelves and 1,100 pieces included.
- There is a 1,000 piece refill kit available, sold separately.
- Durable heavy gauge steel construction with door pockets for organization.
- ANSI Z308.1-2009 compliant.



SKU	Usage	Case Material	Length	Width	Height
101-4SH-9-FAC	First Aid	Steel	22.75 in	15.5 in	5.75 in
101-4SH-RFL-CAB	First Aid	Cardboard	12.5 in	17 in	4.5 in



3-Shelf Industrial First Aid Stations

Features:

- Durable steel cabinet with carry handle.
- Inner door pouches for easy access to contents.
- Wall-mountable.

Length: 13.75 in

Width: 5.5 in

Height: 16.5 in



SKU	Usage	Case Material
579-6155	100 Person	Steel



Bloodborne Pathogens Kits

Features:

- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Length: 7-1/2 in

Width: 4-1/2 in

Height: 2-3/4 in



SKU	Usage	Case Material
579-3060	Spill Clean Up Kit	Weatherproof Plastic



Bodily Fluid Spill Kits

Features:

- Be prepared with this portable bodily fluid spill kit in the event that you need to clean up fluids quickly.
- The kit provides a compact, easily transportable solution for bodily fluid spill preparedness in the workplace, home, or office.

Length: 2.5 in

SKU	Case Material	Width	Height
579-91296	Single Use Kit	4.5 in	6.5 in
579-91297	Single Use Kit	7 in	9 in



Burn Care Kits

Features:

- Contains supplies for treating burns in a pre-hospital setting.
- Easy-to-carry handle or wall mountable for quick access in an emergency.
- Weatherproof case ideal for all indoor or outdoor use.

Length: 7.69 in

Width: 2.38 in

Height: 4 in

SKU	Case Material
579-440-0/FAO	Plastic



Refill for 3 Shelf First Aid Station

Features:

- Complete first aid kit refill, designed for use with First Aid Station 6155.
- Provides supplies for up to 100 people.
- Contains many necessary supplies for keeping employees safe and healthy.

Test & Approvals: ANSI Z308.1

Length: 18.25 in

Width: 3.625 in

Height: 11.125 in

SKU	Usage	Case Material
579-6155R	Refill for Pac-Kit® 6155	Cardboard



Handy Deluxe First Aid Kits

Features:

- Weatherproof bulk first aid kit provides a variety of commonly used items.
- Made of high-impact polystyrene.

Length: 27-3/4 in

Width: 16 in

Height: 17-3/8 in

SKU	Usage	Case Material
714-34650H	First aid, cuts, bruises, eye care, burns	Plastic

FLASHLIGHTS & LANTERNS



LED WorkSAFE Waterproof Flashlights

Features:

- Intrinsically safe and waterproof.
- Three-way switch (on-off-flash).
- Anti-roll tube.
- Non-slip grip.
- Faceted reflector.
- Lens ring accepts wands.
- With LED you never have to change a bulb.
- Deep-ribbed, crush-resistant case.

Batt. Type: Alkaline

Color: Black Battery Cap; Black Lens Rim; Safety Orange

Lamp Life: 30000 h

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
120-15460	2	D Cell	80	200 h
120-15720	3	D Cell	60	250 hr



3315 LED Flashlight Gen 3

Features:

- The Pelican™ 3315 LED Flashlight: the lightweight compact design houses 3AA batteries that power a single LED for 160 lumens of super bright LED light. Law Enforcement, Sporting Goods, Security, Fire & Rescue, Hardware/Tool, Automotive, Industrial, Consumer. Handheld, Safety Light. Push Button On/Off. High Impact ABS. IP67 Dustproof and Waterproof

Batt. Type: Alkaline

Beam Concentration (MBCP): 144m

Lumens: 160

Modes: On/Off

Color: Hi-Vis Yellow

Run Time: 19 hr

SKU	No. of Batteries	Batt. Size
562-033150-0103-245	3	AA



HeadsUP Lite™ Flashlights

Features:

- Made of impact and chemical resistant ABS, it's water resistant for all-weather use.
- It comes with an adjustable and comfortable cloth strap, as well as a heavy duty rubber strap that will not slip off your climbing helmet or hard hat.

Batt. Type: Alkaline

Beam Concentration (MBCP): 2124 cd

Lumens: 60

Modes: On/Off

Color: Black

Run Time: 11 hr

Lamp Life: 10,000 h

Includes: AAA Alkaline Battery

SKU	No. of Batteries	Batt. Size
562-026900-0100-110	3	AAA



Stinger® DS® HPL LED Flashlights



Features:

- Compact and extremely powerful, rechargeable flashlights offer three microprocessor controlled variable intensity modes, strobe mode and the latest in power LED technology.
- Includes a second independent easy to locate tactical tailcap switch.
- The combination of rechargeable batteries and the C4®LED results in one of the lowest operating costs of any flashlight made.
- C4®LED technology for extreme brightness.
- IPX4 rated for water-resistant operation.
- Three meter impact-resistance tested.
- Serialized for positive identification.
- Compact, snap-in charger mounts in any position.

Test & Approvals: CE

Batt. Type: NiCd Rechargeable

Beam Concentration (MBCP): 11,000 cd; 24,000 cd; 48,000 cd

Lumens: 800

Modes: High; Medium; Low; Strobe

Color: Black

Run Time: 2 h - High; 3.75 h - Medium; 7.25 h - Low

Lamp Life: 50,000 h

Includes: Battery; AC & DC Charge Cords; (2) Charger/holders

SKU	No. of Batteries	Batt. Size
683-75863	1	3.6V



Stinger® LED Rechargeable Flashlights

Features:

- Multi-function On/Off push-button switch lets you choose three lighting modes and strobe; designed for extremely long life; tested at 1 million actuations.
- Unbreakable polycarbonate lens with scratch-resistant coating

Test & Approvals: ANSI/NEMA FL1

Batt. Type: NiCd Rechargeable

Beam Concentration (MBCP): 24,000/12,000/6000 cd

Lumens: High - 425; Medium - 200; Low - 100

Modes: High; Medium; Low; Strobe

Color: Black

Run Time: High - 3 hr; Medium - 5.5 hr; Low - 10 hr; Strobe - 7.5 hr

Lamp Life: 50,000 hr

Includes: AC/DC Steady Charger; (2) Holders

SKU	No. of Batteries	Batt. Size
683-75713	1	3.6V

FOOT PROTECTION

Boots & Shoes



Slush Boots

Features:

- 100% waterproof protection designed to fit easily over shoes or boots.
- Adjustable side strap.
- Has a cross rib outsole to reduce slippage.

Material: Rubber

Color: Hi-Vis Yellow; Black Buckle and Sole

Lining: 100% Cotton

SKU	Size Group	Height
101-9040-9	9	17 in
101-9040-10	10	17 in
101-9040-11	11	17 in
101-9040-12	12	17 in
101-9040-13	13	17 in
101-9040-14	14	17 in
101-9040-15	15	17 in
101-9040-16	16	17 in
101-9040-17	17	17 in
101-9040-18	18	17 in



Chore Classic Work Boots with Steel Toe



Features:

- Features triple toe and quadruple rubber heel reinforcements.
- Breathable airmesh lining with CR Flex-foam insulation provides all-day comfort.
- Steel toe protects feet from dropped objects, protruding sharp edges and other workplace hazards.
- Steel shank adds arch support and protection from punctures.
- 100% Waterproof.
- Durable, non-slip outsole.

Test & Approvals: ASTM F2413-11 M I/75 C/75 EH

Material: Neoprene; Nylon; Steel

Color: Black

Resistance: Water; Slip; Impact

SKU	Size Group	Height
Hi-Black Chore Classic with Steel Toe		
617-CHS-000A-BLK-100	10	16 in
617-CHS-000A-BLK-110	11	16 in
617-CHS-000A-BLK-120	12	16 in



PVC Injection Molded Boots



Features:

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable.
- PVC formulation is resistant to degradation from agricultural chemicals, fertilizers and animal waste.
- Flexible and durable upper allows for ease in movement for greater work comfort.
- Removable FOOT FORM™ contour cushion insoles provide all-day comfort and support.
- Reinforced construction at critical stress points provides a durable and long wearing boot.
- Deep angle cleat outsole helps to grip slick surfaces to help prevent slips and falls.
- Easy guide along the shaft to customize the boot height.

Test & Approvals: ASTM F2413-05

Material: PVC

Color: Black

Resistance: Water

Lining: Light Scrim Cotton Blend

SKU	Size Group	Height
Steel Toe		
617-18821-100	10	16 in
617-18821-110	11	16 in
617-18821-120	12	16 in
617-18821-130	13	16 in
617-18821-070	7	16 in
617-18821-080	8	16 in
617-18821-090	9	16 in
Plain Toe; Knee Boot		
617-18822-100	10	16 in

Footwear Covers



Everyday PRO Ice + Snow Traction Aids

Features:

- Special rubber compound stays strong and retains elasticity in subzero temperatures for maximized durability.
- New and improved toe-box design enhances fit and function along with a 360-degree spike pattern that provides more push and lateral grip.
- Unique support hole on heel strap provides easy adjustment and makes it easy to put on and take off.
- 6 (12/pair) replaceable, military-grade tungsten carbide DuPont® Ice Diamond™ Spikes are integrated into a proprietary rubber tread design for improved traction.

Color: Black

Fastening Method: Slip-On



SKU	Size Group	Material
857-V3551370-L/XL	Large/X-Large	Rubber; Tungsten Carbide Spikes
857-V3551370-S/M	Small/Medium	Rubber; Tungsten Carbide Spikes



Tyvek® 400 Shoe & Boot Covers

Features:

- Applications include: lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean-up.
- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away.
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size.
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion.
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- One size fits most.



SKU	Size Group	Material	Color	Type	Fastening Method
251-FC450S	One Size Fits Most	Tyvek™ 400	Gray	Shoe Cover w/ Serged Seams	Low Elastic Top Opening
251-FC454S	One Size Fits Most	Tyvek™ 400	Gray	Boot Cover w/ Serged Seams	High Elastic Top Opening
251-TY450S	One Size Fits Most	Tyvek™ 400	Gray	Shoe Cover w/ Serged Seams	Elastic Opening
251-TY450S-L	Large	Tyvek™ 400	Gray	Shoe Cover	Elastic Opening
251-TY454S-XL-SR	One Size Fits Most	Tyvek™ 400	White	Boot Cover w/ Serged Seams	Elastic Opening

Tyvek® Boot Covers

Features:

- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.
- Tyvek® provides an ideal balance of protection, durability and comfort of any limited use fabric technology.
- Protection is built into the fabric itself, and there are no films or laminates to abrade or wear away.
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion.
- One size fits most.

Color: White

Type: Boot Cover w/ Serged Seams

Fastening Method: Elastic Opening



SKU	Size Group	Material
251-TY454S-LG-SR	One Size Fits Most	DuPont™ Tyvek® Boot Cover with Tyvek® FC Skid-Resistant Sole

HAND PROTECTION

Gloves



Nitrile Coated Gloves

Features:

- Nylon knit.
- Sturdy nitrile coating provides extra protection to the palm and fingers.
- Contoured fit offers great grip.
- Machine washable.

Coating: Nitrile

Style: Work

Cuff Style: Knit-Wrist

Color: Black/Gray

Material: Nylon Knit

SKU	Size Group	Lining
101-6020-S	Small	Nylon Knit
101-6020-M	Medium	Nylon Knit
101-6020-L	Large	Nylon Knit
101-6020-XL	X-Large	Nylon Knit



AUTHORIZED DISTRIBUTOR

NorthFlex Red™ NF11 Foam PVC Fingers/Palm Coated Gloves



Features:

- Lightweight, 15 gauge nylon glove with foam PVC coating on palm and fingertips.
- No coating on back of hand for added ventilation.
- Red nylon and black PVC.

Test & Approvals: ANSI/ISEA 105-ASTM D3389-05 Abrasion; ANSI/ISEA 105-ASTM F1790-97 Cut; EN388; EN420; OSHA Standard 29 CFR 1915.157

Coating: PVC Foam

Style: NF11

Cuff Style: Knit-Wrist

Color: Black; Red

Material: Nylon; Seamless Knit

SKU	Size Group	Lining
068-NF11/8M	Medium	Nylon
068-NF11/9L	Large	Nylon
068-NF11/10XL	X-Large	Nylon



11-600 Palm-Coated Gloves

Features:

- Designed for light and delicate applications in dry environments that require high levels of dexterity.
- Offers comfortable and exact handling of small objects.
- Light-duty, multi-purpose, industrial gloves.
- Available in black or white.

Test & Approvals: ANSI 3 Abrasion; ANSI A1 Cut; CE

Coating: Polyurethane

Style: Palm Coated

Cuff Style: Knit-Wrist

Color: Black

Material: Nylon; Polyurethane

SKU	Size Group	Lining
012-11-600-6-BK	6	Nylon
012-11-600-7-BK	7	Nylon
012-11-600-8-BK	8	Nylon
012-11-600-9-BK	9	Nylon
012-11-600-10-BK	10	Nylon
012-11-600-11-BK	11	Nylon



NXG® Work Gloves



Features:

- Well suited for multi-industrial applications that require high dexterity and comfort.
- The 9673 glove features a seamless 13 gauge, nylon shell and black nitrile foam dipped palm and fingers.
- Material is breathable and cool, offers comfort and grip.

Coating: Nitrile Foam Palm and Fingertips

Style: Palm and Fingertip Dipped; Seamless Knit

Cuff Style: Knit Wrist

Color: Black; Gray

Material: Nitrile; Nylon

SKU	Size Group
127-9673XS	X-Small
127-9673L	Large
127-9673M	Medium
127-9673S	Small
127-9673XL	X-Large



MaxiFlex® Ultimate™ Nitrile Coated Micro- Foam Grip Gloves



Features:

- Ideal for precision handling in dry environments.
- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Patented micro-foam nitrile coating offers 360° breathability.
- Mimics the "hand at rest", reducing hand fatigue and increasing comfort.
- The micro-cup finish allows for a controlled and optimized grip.

Coating: Nitrile

Style: Palm and Finger Coated; Seamless Knit

Cuff Style: Knit-Wrist

Color: Black; Gray

Material: Nitrile; Nylon with Lycra®

SKU	Size Group	Lining
112-34-874/S	Small	Nylon with Lycra®
112-34-874/M	Medium	Nylon with Lycra®
112-34-874/L	Large	Nylon with Lycra®
112-34-874/XL	X-Large	Nylon with Lycra®
112-34-874/XXL	2X-Large	Nylon with Lycra®



730 Chemical-Resistant Nitrile Coated Gloves

Features:

- Designed with performance in mind.
- 100% nitrile glove provides protection against a broad range of oils, solvents, and chemicals.
- Provides forearm protection.
- Bisque surface finish increases wet grip for enhanced ease and safety.
- Flocked liner makes gloves easy to remove.
- Ergonomic design maximizes comfort.



Test & Approvals: ANSI/ISEA Abrasion Level 4; ANSI/ISEA Puncture Level 2; CE Rated; EN 388:2016 2001X; EN ISO 374-1:2016/Type A JKLOPT; EN ISO 374-5:2016

Coating: Nitrile

Style: Chemical-Resistant Gloves; Unsupported

Cuff Style: Straight

Color: Green

Material: Cotton; Nitrile; Rubber

SKU	Size Group	Lining
845-730-07	Size 7/Small	Cotton Flocked
845-730-08	Size 8/Medium	Cotton Flocked
845-730-09	Size 9/Large	Cotton Flocked
845-730-10	Size 10/X-Large	Cotton Flocked

ATLAS® 300 General Purpose Latex Coated Fingers/Palm Gloves

Features:

- General-purpose glove is ergonomically designed to improve performance and comfort over a range of applications.
- Breathable open-back design maintains a comfortable temperature.
- Seamless knit with cotton polyester liner.
- Elasticated wrist prevents dirt from entering the glove.
- Rough-textured natural rubber palm coating provides maximum grip and dexterity.



Test & Approvals: CE; EN 388:2016

Coating: Latex Full Fingers and Palm

Style: ATLAS® 300

Cuff Style: Elastic Knit-Wrist

Color: Blue; Gray

Material: Cotton; Latex; Polyester; Seamless Knit

SKU	Size Group	Lining
845-300S-07	Small	Cotton; Polyester
845-300M-08	Medium	Cotton; Polyester
845-300L-09	Large	Cotton; Polyester
845-300XL-10	X-Large	Cotton; Polyester



Nitrile Coated Kevlar® Gloves

Features:

- 100% Kevlar® with coated palm and fingertips for added protection, grip and excellent dexterity.
- Knit Wrist helps prevent dirt and debris from entering the glove.
- Color coded hems for easy size identification.

Material: Kevlar®

Cuff Style: Knit-Wrist

SKU	Size Group
101-6010-M	Medium
101-6010-L	Large
101-6010-XL	X-Large
101-6010-XXL	2X-Large



11-727 Cut Resistant Gloves

Features:

- The Ansell HyFlex® 11-727's light, barehanded feel, tailored fit and breathable fabric make for consistently comfortable PPE gloves.
- HyFlex® 11-727 industrial working gloves remain resilient against abrasion over time.
- Integrated INTERCEPT™ Cut Resistance Technology prevents workplace injuries.
- The 11-727's acute fingertip sensitivity makes for deft, precise hand protection and secure handling.
- HyFlex® 11-727 safety gloves also benefit from secure grip for handling dry or slightly oily components.



SKU	Material	Cuff Style	Size Group
012-11-727-7	HPPE; Nylon; Spandex; Polyurethane	Knitwrist	7
012-11-727-8	HPPE; Nylon; Spandex; Polyurethane	Knitwrist	8
012-11-727-9	HPPE; Nylon; Spandex; Polyurethane	Knitwrist	9
012-11-727-10	HPPE; Nylon; Spandex; Polyurethane	Knitwrist	10
012-11-727-11	HPPE; Nylon; Spandex; Polyurethane	Knitwrist	11



MaxiFlex® Cut™ Cut-Resistant Gloves

Features:

- MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort, and breathability.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life.
- Optimized grip delivered through our micro-cup finish.
- Minimal penetration (strike through) leaving only the soft liner resting against the skin.
- Made from component material which complies with Federal regulations for food contact, 21CFR, 170-199.
- Seamless knit engineered yarn.
- Silicone free.

Test & Approvals: ANSI Cut Level 2; EN388: 4331

SKU	Material	Cuff Style	Size Group
112-34-8743/M	Nitrile MicroFoam	Continuous Knit	Medium
112-34-8743/L	Nitrile MicroFoam	Continuous Knit	Large
112-34-8743/XL	Nitrile MicroFoam	Continuous Knit	X-Large



541 HPPE Polyurethane Coated Gloves

Features:

- High Performance Polyethylene (HPPE), cut-resistant gloves with polyurethane coating.
- Rough grip glove provides a high degree of comfort and control when performing intricate tasks, even in greasy environments.
- Designed for use in dirty environments the dark color hides grime.
- Elasticated knit wrist cuff prevents dirt and debris from entering the glove.
- Machine washable.

Test & Approvals: CE Cat II; ANSI/ISEA 105-2016 Cut Level A2; ANSI/ISEA 105-2016 Puncture Level 3; EN 388 2016 4342B

SKU	Material	Cuff Style	Size Group
845-541-M	HPPE; Lightweight Seamless Knit; Polyurethane	Knit-Wrist	Medium
845-541-L	HPPE; Lightweight Seamless Knit; Polyurethane	Knit-Wrist	Large
845-541-XL	HPPE; Lightweight Seamless Knit; Polyurethane	Knit-Wrist	X-Large



G10 Comfort Plus™ Blue Nitrile Gloves

Features:

- Powder-free, ambidextrous, touchscreen compatible gloves meet US FDA regulations for food contact applications.
- Gloves are not made with natural rubber latex.
- Textured fingertips for dexterity and grip.
- Beaded cuffs for easy donning.
- Comfortable to wear, provide excellent tactile sensitivity and deliver reliable protection for the task at hand.
- G10 Comfort Plus™ blue nitrile gloves can be recycled via the Kimberly Clark Professional RightCycle™ Program.

Thickness: 6 mil

Cuff Style: Beaded

Color: Blue



SKU	Size Group	Material
412-54421	Small	Nitrile
412-54422	Medium	Nitrile
412-54423	Large	Nitrile
412-54424	X-Large	Nitrile



Diamond Grip™ MF-300 Latex Powder-Free Disposable Gloves

Features:

- Disposable latex gloves with enhanced finger thickness, for extra protection in rugged environments.
- Textured fingertips for a more secure, confident grip when handling slippery and oily objects.
- Double chlorinated for easy donning and a comfortable feel.
- Excellent protection for automotive aftermarket work.

Test & Approvals: ASTM D3578; EN 420:2003 + A1:2009; FDA21 CFR 177-2600-US Food Contact Approved; US QSR/FDA 510(k) Medical Examination Grade

Color: Natural



SKU	Size Group	Material	Thickness	Cuff Style
748-MF-300-XS	X-Small	Latex	Cuff: 0.13 mm; Palm: 0.16 mm; Finger: 0.2 mm	Beaded
748-MF-300-S	Small	Natural Rubber Latex	6.3 mil Palm; 7.9 mil Finger	Beaded; Standard
748-MF-300-M	Medium	Natural Rubber Latex	6.3 mil Palm; 7.9 mil Finger	Beaded; Standard
748-MF-300-L	Large	Natural Rubber Latex	6.3 mil Palm; 7.9 mil Finger	Beaded; Standard
748-MF-300-XL	X-Large	Natural Rubber Latex	6.3 mil Palm; 7.9 mil Finger	Beaded; Standard



N-DEX® 9700 Series Disposable Nitrile Gloves

Features:

- Single-use glove is comfortable, offers highly tactile precision.
- High-capacity protection in a wide range of applications.
- Rolled cuff prevents dirt from entering the glove.
- Thicker nitrile construction provides a greater barrier to hazards.
- Bisque grip ensures precision in wet and dry environments.
- Ergonomic and accelerator free.

Thickness: 6 mil

Cuff Style: Rolled

Color: Black



SKU	Size Group	Material
845-9700PFM	Medium	100% Nitrile
845-9700PFL	Large	100% Nitrile
845-9700PFXL	X-Large	100% Nitrile



92-675 Nitrile Powder-Free Disposable Gloves

Features:

- Superior chemical splash protection.
- Soft, durable nitrile material for added comfort.
- Textured fingertips provide secure grip.
- Complies with FDA food handling requirements.
- Silicone-free.

Test & Approvals: FDA21 CFR 177-2600-US Food Contact Approved

Thickness: 4.3 mil Palm; 5.5 mil Finger

Cuff Style: Beaded; Standard

Color: Blue

SKU	Size Group	Material
012-92-675-S	Small	Nitrile; Type I Latex
012-92-675-M	Medium	Nitrile; Type I Latex
012-92-675-L	Large	Nitrile; Type I Latex
012-92-675-XL	X-Large	Nitrile; Type I Latex



Unlined Drivers Gloves

Features:

- Versatile unlined leather gloves are a great choice for everyday use.
- They provide a good balance between dexterity, durability and comfort.
- Excellent for use in ranching and operating heavy equipment.

Lining: Unlined

Cuff Style: Slip-On

Resistance: Abrasion



SKU	Size Group	Material	Style
127-3205M	Medium	Split Leather Back; Select Grain Cow Leather Palm	Keystone Thumb; Shirred Elastic Back
127-3205L	Large	Split Leather Back; Select Grain Cow Leather Palm	Keystone Thumb; Shirred Elastic Back
127-3205XL	X-Large	Split Leather Back; Select Grain Cow Leather Palm	Keystone Thumb; Shirred Elastic Back
127-3205XXL	XX-Large	Cow Grain Leather/Split Leather	Keystone Thumb; Gunn Pattern; Shirred Elastic Back



FastFit® Gloves

Features:

- Versatile multipurpose glove delivers superior tactility and dexterity while performing manual tasks or working with hand tools.
- Reinforced thumb and index finger provide added durability.
- Breathable TekDry material form-fits the back of the hand for cool and comfortable extended wear.
- Snug-fitting elastic cuff allows easy on/off flexibility.

Test & Approvals: EN388:2003; EN420:2003; A1:2009

Cuff Length: 1 in

Cuff Style: Elastic

Color: Black



SKU	Size Group	Material
484-MFF-05-008	Small	Spandex; Synthetic Leather; TrekDry®; Tricot
484-MFF-05-009	Medium	Spandex; Synthetic Leather; TrekDry®; Tricot
484-MFF-05-010	Large	Spandex; Synthetic Leather; TrekDry®; Tricot
484-MFF-05-011	X-Large	Spandex; Synthetic Leather; TrekDry®; Tricot
484-MFF-05-012	2X-Large	Spandex; Synthetic Leather; TrekDry®; Tricot



Honeywell
NORTH
AUTHORIZED
DISTRIBUTOR

Grip N® Hot Mill Nitrile Coated Gloves

Features:

- Provides protection against intermittent heat up to 400° F.
- Nitrile "N" design.
- Palm coating provides excellent grip and longer life.
- Knit allows for air to flow unlike cut/sewn hot mill gloves.
- Palm coating provides excellent grip and longer life.

Material: Cotton

Lining: Cotton

Temp Range: - 400° F

SKU	Size Group	Cuff Style
068-51/7147	Medium	Knit-Wrist



WL
Wells Lamont
Industrial

Jomac® Cotton Lined Gloves

Features:

- Extra heavyweight gloves provide heat protection up to 450°F.
- 5-inch gauntlet cuff for extra coverage.
- Loop-out.
- Ambidextrous.

Material: Terry Cloth

Lining: Cotton

Temp Range: - 450° F

SKU	Size Group	Cuff Style
815-636HRL	X-Large	Gauntlet

Ansell

AlphaTec® Solvex® Nitrile Gloves

Features:

- High performance nitrile compound provides an outstanding combination of chemical resistance and strength.
- Offers a far superior snag, puncture and abrasion protection compared with rubber or neoprene gloves.
- High levels of flexibility, comfort, and dexterity.
- Fully reusable.

Test & Approvals: ANSI; FDA Approval 21 CFR 177.2600

Lining: Cotton Flocking

Cuff Style: Gauntlet

Thickness: 15 mil



SKU	Size Group
012-37-175-7	7
012-37-175-8	8
012-37-175-9	9
012-37-175-10	10
012-37-175-11	11

KIMTECH™

Purple Nitrile™ Disposable Exam Gloves

Features:

- Excellent dexterity and tactile sensitivity with textured fingertips.
- Ambidextrous and have a beaded cuff for easy donning.
- Guards against incidental splashes.
- Made of a highly durable nitrile polymer.
- Powder free and latex free.
- Cleared for use in chemotherapy.
- Recyclable through the RightCycle Program, so the gloves won't end up in a landfill.

Test & Approvals: ASTM D6978-05 (Non-Sterile Only)

Lining: Unlined

Cuff Style: Beaded

Thickness: 6 mil



SKU	Size Group
412-55080	X-Small
412-55081	Small
412-55082	Medium
412-55083	Large
412-55084	X-Large

Hand Pads & Warmers



Back Hand Pads

Features:

- Sturdy back hand pad protects the back of welder's glove from sparks and spatter.
- Increases life of welding gloves.
- Sewn and riveted for durability and comfort.

Material: Aluminized Fiberglass

Style: Double Layer

Closure Type: Elastic Strap; High-temperature Kevlar® Strap

Color: Silver

SKU	Length	Width
902-BACK-HAND-2	7 in	5-1/2 in



120-TIG Capeskin Welding Gloves

Features:

- Weld well, with sturdy TIG welding gloves that feature a welted thumb stress point.
- Fully Kevlar® sewn for additional protection.
- Gloves offer excellent dexterity, fit and flexibility.

Lining: Unlined

Style: Standard; Gunn-Straight Thumb

Cuff Style: Safety

Color: White/Tan

SKU	Size Group	Material
902-120TIG-M	Medium	Capeskin
902-120TIG-L	Large	Capeskin
902-120TIG-XL	X-Large	Capeskin



1878 21-in FR Insulated MIG/Stick Welding Gloves



Features:

- 21-inch glove with heavy-duty padding on the forearm and elbow for comfort.
- Super supple Genuine American Deerskin tanned in USA.
- Genuine leather heat shield patch, reinforced palm, cuff and lean-on patch.
- Sock-lined FR cotton fleece insulated.
- Boarhide™ leather pull-strap.
- Sewn with Kevlar® thread.
- Complimentary 3 inch carabiner to keep gloves together with exclusive Caiman® loops on each pair.
- Exclusive 3-dimensional, pre-curved fingers, and form-fitting design for ultimate fit, comfort, and dexterity.

Lining: Full Sock-Insulation with Flame-Resistant (FR) Fleece

Style: Flame Resistant; Form-Fitting Kontour™ Original Design; Kevlar® Stitched; Lined/Insulated; Patches

Cuff Style: Gauntlet

Color: Tan; Black

SKU	Size Group	Material
607-1878-5	Large	Boarhide; Deerskin; Kevlar® Thread



Mustang Premium Top Grain Cowskin Leather Welding Work Gloves



Features:

- Made of premium grade cream grain cow leather, 4.5 inch russet split leather gauntlet cuff, and wing thumb.
- Sewn with DuPont™ Kevlar® thread to resist sparks and sharp metals which can unravel most gloves.

Test & Approvals: ANSI Abrasion Level 3; ANSI Contact Heat Level 2; ANSI Puncture Level 3

Lining: Unlined

Style: Mustang Premium Top Grain Cowskin Leather Welding Work Gloves

Cuff Style: Gauntlet; Split Leather

Color: Beige; Russet

SKU	Size Group
127-4950M	Medium
127-4950L	Large
127-4950XL	X-Large

HEAD/FACE PROTECTION

Faceshields & Visors



3M™ Ratchet Headgear H8A, 82783-00000, with 3M™ Clear Polycarbonate Faceshield WP96

Features:

- Safety system comes with headgear and faceshield together.
- Molded faceshield provides impact protection.
- Adjustable five position crown strap and thirteen position ratchet suspension offer customization to individual wearers.
- Offers head and face protection for many tasks where flying sparks, chips and debris are present.

Binding: Unbound

Used With: W Series

Color: Clear

Length: 9 in

Height: 14 in

Thickness: 0.08 in

SKU	Lens Coating/Shade	Lens Material
247-82783-00000	Uncoated	Polycarbonate



Visor Head Gear

Features:

- Absorbent air cushioned sweatband.
- 45 head size ratchet head gear.

Test & Approvals: ANSI Z87.1-2003 STD Approved

Type: Visor Headgear

Used With: Most Manufacturer's Head Gear/Cap Adaptors

Style: Headband

Length: 23-7/8 in

Height: 25-1/2 in

SKU
101-UVH700



Visors

Features:

- Clear or shaded available.
- Durable and high-performance.

Test & Approvals: ANSI-Z87.1 2003; OSHA

Used With: Jackson Safety® Head Gear/Cap Adaptors

Length: 15-1/2 in

Height: 9 in

Thickness: 0.040 in

SKU	Lens Coating/Shade	Lens Material	Binding	Style	Color
101-3440-B-CL	Clear	PETG	Aluminum Bound	Bound Visor	Clear
101-3440-U-CL	Clear	PETG	Unbound	Unbound Visor	Clear
101-3442-B-DG	Dark Green	PETG	Aluminum Bound	Bound Visor	Dark Green
101-3465-5	Shade 5.0	PETG	Aluminum Bound	Bound Visor	Shade 5



Bionic® Face Shield Replacement Visors

Features:

- Provides reliable protection from airborne debris.
- Curved window provides unobstructed view.
- Reinforced polycarbonate construction.

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 Standards

Used With: Bionic® Shield face shield

Style: Full shield

Height: 9-1/2 in

Thickness: 0.040 in

Model: Bionic®

SKU	Lens Coating/Shade	Lens Material	Color
763-S8550	Uncoated/Clear	Polycarbonate	Clear Uncoated
763-S8560	Uncoated/Shade 3.0	Polycarbonate	Shade 3
763-S8565	Uncoated/Shade 5.0	Polycarbonate	Shade 5

Honeywell
UVE[®]X

AUTHORIZED
DISTRIBUTOR



Bionic™ Faceshields

Features:

- Shell offers built-in chin protection and extended top-of-head coverage.
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application.
- Comfortable cell foam on back of headgear.
- Breathable, removable, washable headband.
- Comfortably worn with most goggles and respirators.

Test & Approvals: Passes ANSI Z87+ and CSA Z94.3 Standards

Lens Material: Polycarbonate

Used With: Safety eyewear or goggles

Style: Face, chin and top of head coverage

Color: Black Matte

Length: 14-1/2 in

Height: 9-1/2 in

SKU	Lens Coating/ Shade	Thickness	Model
763-S8500	Uncoated/Clear	0.040 in	Bionic [®] Shield face shield with uncoated lens
763-S8510	HC/AF/Clear	0.0040 in	Bionic [®] Shield face shield with hardcoat lens



JACKSON
SAFETY

F30 Acetate Faceshields

Features:

- Ideal for scratch resistance and premium optics.
- High-grade cast sheet acetate protects against splash.
- 99.9% UV protection.

Test & Approvals: Meets ANSI Z87.1 Standard

Type: Visor

Binding: Bound

Style: Bound Visor


Color: Clear

Length: 15-1/2 in

Height: 9 in

SKU	Lens Coating/ Shade	Lens Material	Used With	Thickness	Model
138-29079	Clear	Acetate	Headgear	0.04 in	3440
138-29091	Clear	Acetate	Jackson Safety Headgear	0.047 in	3440 BULK

MSA
The Safety Company



V-Gard® Accessory System General Purpose Visors

Features:

- Suitable for most applications where impact hazards exist.
- Provides maximum UV protection.
- Wider design for improved resistance to impact and splash hazards.
- Shape accommodates cap-mounted earmuffs.

Binding: Unbound

Used With: V-Gard[®] Frames

Style: Contoured

Color: Clear

Height: 8 in

Thickness: 0.06 in

SKU	Lens Coating/Shade	Lens Material
454-10115840	Anti-Fog; Anti-Scratch	Polycarbonate

Hard Hat & Cap Parts & Accessories

Honeywell
FIBRE-METAL[®] AUTHORIZED
DISTRIBUTOR



Suspensions

Features:

- Fibre-Metal[®] offers three headband adjustments for hard hat suspensions.
- The 360° degree padded sweatband provides extra comfort for all day wear.
- The ratchet headband is strip proof and provides easy adjustment.
- The patented SwingStrap™ combines the benefits of both the ratchet and the 360° padded sweatband with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension.

Material: Leatherette;Foam

Color: Gray

SKU	Used With	Suspension
280-3SW2V	Fibre-Metal E1, E2 Hard Hats	Swingstrap



AUTHORIZED DISTRIBUTOR

SwingStrap™ Suspensions

Features:

- Fibre-Metal® offers three headband adjustments for hard hat suspensions.
- The 360 ° degree padded sweatband provides extra comfort for all day wear.
- The ratchet headband is strip proof and provides easy adjustment.
- The patented SwingStrap™ combines the benefits of both the ratchet and the 360 padded sweatband with the added ability to convert from forward to reverse wearing position without having to remove and reinstall the suspension.



Color: Gray

SKU	Used With	Suspension
280-3RW2	Caps & Full Brim Hats	Ratchet



Fas-Trac® III Replacement Suspensions

Features:

- Ratchet suspension and flush rear lug attachments eliminate pressure points for additional wearer comfort.
- Three levels of nape strap adjustment ensure a customized fit.
- Graspable ratchet with ultra-smooth rotation and steadfast hold.



Material: Plastic/Nylon

SKU	Used With	Suspension	Color
454-10153385	MSA Skullgard® Helmets	4-Point Ratchet	Gray
454-10148707	MSA V-Gard® Helmets	4-Point Ratchet	Clear



Skullgard® Replacement Suspensions

Features:

- Four-point suspension system helps keep helmet in place.
- Provides superior comfort and a semi-custom fit.
- Features high-quality sweatband and nylon height adjusters. Easily clips into V-Gard® hat or cap shell.

Material: Molded Plastic; Nylon

Color: Gray

SKU	Used With	Suspension
454-454231	Skullgard Protective Hats & Caps	Staz-On®

V-Gard® Visor Frames for General Purposes



Features:

- Stowable slot adaptors secure frame tightly in slotted MSA caps, and allow frame to work with or without earmuffs.
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor.

Test & Approvals: MSA visors are manufactured for use ONLY on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1

Material: HDPE

Color: Black

SKU	Used With	Suspension
454-10127061	V-Gard visors (sold separately)	Ratchet



Hard Hat Shades

Features:

- Sunshade blocks most UV rays.
- Fits most regular hard hats.
- Shade at back of neck facilitates perspiration evaporation and blocks sun.

Material: Polyester; Cotton Twill

Color: Yellow



SKU	Used With
561-898-098	Hard hats

MiraCool® FR Hard Hat Pads with Shade

Features:

- 6 ounce gray, flame resistant (FR) treated cotton.
- Added neck shade facilitates evaporation.
- Fastens with hook-and-loop.
- Includes attached hard hat pad.

Test & Approvals: ASTM F1506; Arc Rating ATPV=7.2 cal/cm²; NFPA 70E/CAT=1

Material: 6 oz FR Cotton

Color: Gray



SKU	Used With
561-969-FR11	Hard Hats and Caps



Snap-On Hard Hat Sweatbands

Features:

- Super soft terry cloth easily attaches to hard hat suspension with snaps.
- Machine washable.

Material: 100% Cotton Plush



SKU	Used With	Color
561-870B100-01	Hard Hats	Navy
561-870B100-15	Hard Hats	Beige

Hard Hats & Caps



3M™ SecureFit™ Pressure Diffusion Ratchet Suspension w/UVicator™ Hard Hats and Caps

Features:

- Suspension system incorporates exclusive patented SecureFit™ Pressure Diffusion Technology.
- Comfort pad on back of suspension is designed to distribute force and increase ease of wear.
- Compatible with cap-attached 3M hearing protection and communication products, a variety of 3M faceshields and other accessories.
- Customize your fit with multiple levels of height and head-shape adjustments.
- Premium washable and replaceable sweatband with moisture-wicking material is designed to help keep workers cool and dry.
- UVicator™ sensor lets wearers know when to replace hard hat due to UV exposure.

Material: HDPE

Applications: Construction

Size Group: 6-1/4 to 8

SKU	Color	Suspension	Type
142-H-801SFR-UV	White	4 Point Ratchet	Full Brim
142-H-701SFV-UV	White	4 Point Ratchet	Cap; Vented
142-H-706SFR-UV	Orange	4 Point Ratchet	Cap
142-H-706SFV-UV	Orange	4 Point Ratchet	Cap; Vented
142-H-702SFR-UV	Yellow	4 Point Ratchet	Cap
142-H-701SFR-UV	White	4 Point Ratchet	Cap
142-H-702SFV-UV	Yellow	4 Point Ratchet	Cap; Vented



Honeywell AUTHORIZED DISTRIBUTOR
FIBRE/METAL

SuperEight® E1 Hard Hats

Features:

- Dissipates force on impact by reducing it to smaller increments and spreading it over a greater area.
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Test & Approvals: Meets ANSI-Z89.1-2009; Type I Class E, G, or C

Adjusting Method: Ratchet

Material: Thermoplastic

SKU	Color	Suspension	Applications	Size Group One Size Fits Most
280-E1RW01A000	White	8-Point	Construction	6-3/4 to 8
280-E1RW02A000	Yellow	8 Point Ratchet	Chemical Plants; Construction Sites; Fabrication Shops; Forges; Foundries; Steel Plants	6-3/4 to 8
280-E1RW71A000	Blue	8 Point Ratchet	Construction	6-3/4 to 8
280-E1RW74A000	Green	8 Point Ratchet	Chemical Plants; Construction Sites; Fabrication Shops; Forges; Foundries; Steel Plants	6-3/4 to 8



SuperEight® E2 Series Hard Caps

Features:

- Energy control system dissipates force by reducing it into smaller increments and spreading it over a wide area.
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Test & Approvals: Meets ANSI-Z89.1; Type I Class E, G or C

Adjusting Method: Ratchet

Material: Thermoplastic

Size Group: Standard

SKU	Color	Suspension
280-E2RW01A000	White	8-point Ratchet
280-E2RW02A000	Yellow	8-point Ratchet
280-E2RW15A000	Red	8-point Ratchet
280-E2RW71A000	Blue	8-point Ratchet
280-E2RW74A000	Green	8-point Ratchet



BC 100 Bump Caps

Features:

- Ideal when head protection is desired but not required.
- Offers protection from minor bumps and head lacerations.
- Available without or with face shield attachment for extra coverage.
- 4-point pinlock suspension includes an extra absorbent brow pad.
- To be used in work situations which do not require ANSI compliant head protection.
- Fits head sizes from 6-1/2 to 8-1/4.

SKU	Color	Suspension	Adjusting Method	Material	Size Group
138-14809	Yellow	4-Pt Pinlock	Pinlock	High Density Polyethylene (HDPE)	6-1/2 to 8-1/4
138-14811	White	Pinlock	Ratchet	HDPE	Standard; 6-1/2 to 8
138-14813	Blue	4-Pt Pinlock	Pinlock	High Density Polyethylene (HDPE)	6-1/2 to 8-1/4



SC-6 Hard Hats

Features:

- Smooth dome design leaves no crevice for build-up.
- Lightweight construction is ideal for extended use.
- Accessory slots for attaching additional personal protective equipment.
- Comes with fast absorbing brow pad for user convenience

Test & Approvals: ANSI Z89.1, Type 1, Class C, G & E

Adjusting Method: Ratchet

Material: HDPE Blended Plastic

Applications: Manufacturing; Utilities; Oil Industry; Mining; Construction

Size Group: 6-1/2 to 8

SKU	Color	Suspension
138-14833	Yellow	4-point Ratchet
138-14834	White	4-point Ratchet
138-14839	Orange	4-point Ratchet
138-14841	Red	4-point Ratchet
138-14842	Gray	4-point Ratchet



Skullgard® Protective Caps and Hats

Features:

- Strong, protective hats offer outstanding protection in hot, dangerous industries.
- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350F.
- Smooth crown allows easy use of MSA welding equipment.
- Heavy duty construction produces a sturdy, reliable product for long-lasting use.

Test & Approvals: Meets or Exceeds the Applicable Requirements for a Type 1 Helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G

Adjusting Method: Ratchet

Material: Phenolic

Type: Non-Slotted

Size Group: Standard; 6-1/2 to 8

SKU	Color	Suspension	Applications
454-475395	Natural Tan	Fas-Trac Ratchet	Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding
454-475407	Natural Tan	Fas-Trac® Ratchet	Confined Space; Food Processes; Manufacturing; Painting; Sanding & Grinding; Steel Smelting Foundries; Working at Heights; Welding



V-Gard® Protective Caps

Features:

- Convenient caps and hats provide comfortable, lightweight protection.
- Self adjusting crown straps ensure a comfortable fit.
- Polyethylene shell provides superior impact protection.

Test & Approvals: Meets or Exceeds the Applicable Requirements for a Type 1 Helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G

Material: Polyethylene

Type: Slotted

Size Group: 6-1/2 to 8

SKU	Color	Suspension	Adjusting Method
454-475358	White	Fas-Trac® Ratchet	Ratchet
454-475359	Blue	Fas-Trac® Ratchet	Ratchet
454-475360	Yellow	Fas-Trac® Ratchet	Ratchet
454-463942	White	Staz-On®	Pin-Lock
454-475361	Orange	Fas-Trac® Ratchet	Ratchet
454-475363	Red	Fas-Trac® Ratchet	Ratchet



V-Gard® Protective Hats

Features:

- Convenient caps and hats provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.
- Available with Fas-Trac® III or Staz-On® suspension.

Test & Approvals: Meets or Exceeds the Applicable Requirements for a Type I Helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G

Material: Polyethylene

Type: Slotted



SKU	Color	Suspension	Adjusting Method	Size Group
454-475366	Yellow	Fas-Trac®	Ratchet	Standard; 6-1/2 to 8
454-475368	Blue	Fas-Trac®	Ratchet	Standard; 6-1/2 to 8
454-475369	White	Fas-Trac®	Ratchet	Standard; 6-1/2 to 8
454-475371	Red	Fas-Trac® Ratchet	Ratchet	Standard; 6-1/2 to 8
454-496075	Orange	Fas-Trac® III	4-Point Ratchet	Standard

Welder Caps & Doo Rags



Series 2000 Reversible Caps

Features:

- 6 panel, round crown, super soft brim reversible welders cap with custom print on 1 side and solid color on other.
- Cap measures approximately 7-1/4 inches from the top of the crown to the bottom of the cap.
- Caps are medium-crowned in order to cover welder's ears and neck, as well as round-crowned for that great look and fit.
- Also available in white or black.

Material: Cotton

Color: Assorted

SKU	Size Group
118-2000R-6-1/2	6-1/2
118-2000R-6-3/4	6-3/4
118-2000R-6-5/8	6-5/8
118-2000R-6-7/8	6-7/8
118-2000R-7	7
118-2000R-7-1/2	7-1/2
118-2000R-7-1/4	7-1/4
118-2000R-7-1/8	7-1/8
118-2000R-7-3/4	7-3/4
118-2000R-7-3/8	7-3/8
118-2000R-7-5/8	7-5/8
118-2000R-7-7/8	7-7/8
118-22712	7.5
118-22714	7.25
118-22734	7.75

Welding Helmet Parts & Accessories



170SB Headgear

Features:

- Spark deflector for visor use without a safety cap.
- Fully dielectric.
- Secured with integral plastic lugs.
- Used in conjunction with protective eyewear, face shield provides a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others.

Test & Approvals: Meets ANSI Z87.1 Standard

Adjustment Method: 370 Speed Dial™

Style: Partial Crown



SKU	Used With	Suspension
138-14940	Mfr No. 29091, 29082, 29078, 29084, 29086, 29109, 29083, 29081, 29062	Ratchet

HDG10 Face Shield Headgear

Features:

- Has spark deflector.
- Soft, absorbent, wrap-around, foam cushioned sweatband gently hugs natural shape of head.

Test & Approvals: Meets ANSI Z87.1 Standard

Adjustment Method: Increment - 1/16 in



SKU	Used With	Suspension
138-14381	12 in or 15-1/2 in Face Shield	Ratchet



Speedglas™ 9100 Series Replacement Parts

Features:

- Designed for the professional welder.
- Choose from a variety of filters, lenses, and plates.

Material: Polycarbonate



SKU	Lens Coating/ Shade	Resistance	Window Size	Type
711-06-0000-20	5; 8 to 13	Standard	2.1 in x 4.2 in	Auto-Darkening Filter (ADF)
711-06-0000-30	5; 8 to 13	Standard	2.8 in x 4.2 in	Auto-Darkening Filter (ADF)
711-06-0200-53	Clear	Heat	10.6 in x 5 in	Outside Protection Plate



Cover Lens

Features:

- Meets all applicable specifications and standards.
- Resistant to abrasion, pitting, spatter, chemicals and solvents.

Test & Approvals: ANSI-Z87.1 2003; OSHA

Resistance: Scratch

Material: 100% Polycarbonate

Color: Clear



SKU	Lens Coating/ Shade	Window Size	Type
101-A-427	Clear	3-3/16 in x 6-3/8 in	Outside Cover Lens
101-A-428	Clear	2-1/8 in x 4-1/16 in	Inside Cover Lens
101-A-429	Clear	1-5/8 in x 3-9/16 in	Inside Cover Lens



Cover Lens

Features:

- Convenient protective cover lens is resistant to abrasion, pitting, spatter, chemicals and solvents.
- Optically correct and balanced.
- Provides superior welding lens protection.

Test & Approvals: OSHA

Resistance: Scratch; Static

Color: Clear



SKU	Style	Lens Coating/ Shade	Window Size	Material
901-SP-1	Cover Lens	Clear	2 in x 4.25 in	70% CR-39 Plastic
901-SP-2	Cover Lens	Clear	2 in x 4.25 in	100% CR-39 Plastic
901-SP-35	Cover Lens	Clear	4-1/2 in x 5-1/4 in	50% CR-39 Plastic
901-SP-45	Cover Lens	Clear	5-1/4 in x 4-1/2 in	CR-39 Plastic

Glass Filter Plates

Features:

- Best Welds filter plates offer ultimate protection against ultraviolet and infrared rays present in the welding environment.
- Precision ground and edged to allow a safe and proper fit.
- Precisely shaded and optically correct.

Resistance: Heat treated, but not unbreakable. It is not a safety lens.

Window Size: 2 x 4-1/4 in

Material: Hardened Glass

Color: Green



SKU	Lens Coating/ Shade
901-932-105-10	10
901-932-105-9	9

Safety Plate

Features:

- Safety plate provides strong impact resistance for added safety.
- Optically correct and balanced.
- Light-weight.

Resistance: Impact Resistant

Material: Polycarbonate

Color: Clear



SKU	Style	Lens Coating/ Shade	Window Size
901-932-440	Rectangular	Clear	2 in x 4-1/4 in
901-932-442	Rectangular	Clear	4-1/2 in x 5-1/4 in

JACKSON

Lens Kits


Features:

- Auto-darkening to adapt to multiple working environments.
- Light sensitivity shade control.

Window Size: 5 in x 2 in

Material: Polycarbonate

Color: Clear



SKU	Style	Includes	Type
138-22606	Rectangular	NexGen™ Lens Kit: (2) Internal Safety Plates; (5) Front Safety Plates	NexGen Lens Kit
138-29127	Rectangular	WH40 Element® ADF Lens	ADF Lens Kit

Welding Helmets



3M™ Speedglas™ 9100 Series Welding Helmet with Auto-Darkening Filter



Features:

- Includes 9100XXi Auto-Darkening Filter that allows better color recognition.
- Ergonomic adjustable head suspension provides increased comfort, helmet stability and weight distribution.
- Helmet can be used for Stick, MIG, and TIG welding processes.

Test & Approvals: ANSI Z87.1-2003

Window Size: 2.8 in x 4.2 in

Material: High-Density Polyethylene

Suspension: Ratchet

SKU	Lens Coating/Shade	Color
711-06-0100-30ISW	5; 8 to 13; Shade 3 Light State	Black



3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01 w ADF G5-01VC and 3M™ Adflo™ High-Altitude PAPR Assembly, 46-1101-30iVC



Features:

- Protection against radiation, sparks and spatter, from a high-coverage welding helmet design that also offers expanded coverage options.
- View your work with 3M™ Speedglas™ Natural Color Technology – now available with variable color option in the dark state.
- Effective respiratory protection, with options to provide the highest exposure reduction available in a powered air respiratory system (APF 1000).
- Individualize your helmet with different accessory configurations, while you use the new helmet controls to adjust the respiratory airflow to your preferences.

Window Size: 2.8 in x 4.3 in

Material: Polyphthalamide

Suspension: Adjustable

SKU	Lens Coating/Shade	Color
711-46-1101-30iVC	Shade 5; 8 to 14	Black



Leather Helmets

Features:

- Constructed with screen vents on top of helmet.
- Lift front assembly.
- Replaceable lift front.

Window Size: 2 in x 4-1/4 in

Material: Split Cowhide

Suspension: Ratchet



SKU	Color
902-750-LH	Russet



Pipeliners™ Welding Helmets

Features:

- Compact design allows access to areas where there is no room for a standard helmet.
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work.

Window Size: 2 in x 4-1/4 in



SKU	Lens Coating/Shade	Color	Material	Suspension
280-110-WH	#10	White	Thermoplastic	I-CR Ratchet Headgear
280-110PWE	#10	White	Fiberglass	Rubber Headband



Tigerhood™ Classic Protective Cap Welding Helmet Shells

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.
- Available in a variety of colors.

Window Size: 2 in x 4-1/4 in

Material: Thermoplastic

SKU	Lens Coating/Shade	Color
280-5906GY	#10	Gray



Tigerhood™ Classic Welding Helmets

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, and fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.

Window Size: 2 in x 4-1/4 in

Size of Cartridge: 2 in x 4-1/4 in

Material: Thermoplastic

Suspension: 3-C Ratchet

SKU	Lens Coating/Shade	Color
280-906BK	#10	Black



Insight Digital Variable ADF Welding Helmets

Features:

- Variable shades to shield and protect eyes from radiant energy during weld.
- Viewing area offers unobstructed views during all stages of welding process without lifting hood.
- Sensitivity and delay adjustments for different tasks and duration.
- Weld and grind modes.
- Four independent sensors reduce blockage possibility.
- Operates with lithium battery power.
- Low-battery indicator light.

Test & Approvals: ANSI Z87.1-2010; CSA Z94.3 Compliant, CE (DIN Plus)

Window Size: 3.93 in x 2.36 in

Material: Thermoplastic

Suspension: Ratchet



SKU	Lens Coating/Shade	Color	Size of Cartridge	Used With
138-46129	9 to 13	Black	5.25 in x 4.5 in	HSL 100 shell; Lithium batteries; #40710 - ADF; #46128 - ADF Cartridge; #41594 - Safety Plate; #41589 - Plate Kit; #20696 - Headgear
138-46131	SH9 to SH13	Black	5-1/4 in x 4-1/2 in	HLX100 and HSL100 shells

WH10 HSL 100 Passive Welding Helmets

Features:

- Narrow shell design is perfect for work in tight spaces.
- Extended front increases throat protection from sparks, slag and other physical hazards.
- Hard hat adaptable using 187-S (15968).
- ADF adaptable.

Test & Approvals: ANSI Z87.1 2010; CSA Compliant

Window Size: 4-1/2 in x 5-1/4 in

Material: Polycarbonate/ABS Blend



SKU	Lens Coating/Shade	Color	Suspension
138-14975	Green; #10	Black	Ratchet
138-15134	Green; #10	Black	370



The Automatic Welding Helmet with World Record ADF

Features:

- With its exceptionally bright ADF view at shade level 2.5, helmet is designed to improve the visibility and brightness of welders' environment by a huge margin.
- Thanks to a special UV/IR filter, it offers a real color experience and finally brings color into the world of welding.
- One of the lightest auto darkening welding helmets available.
- Its ergonomic design minimizes strain on the head and neck, ensuring comfort throughout the work day.
- Perfectly paired with the Optrel® e3000 PAPR respiratory system.

Window Size: 1.97 in x 3.94 in

Size of Cartridge: 3.55 in x 4.33 in x 0.28 in

Material: PA6.6



SKU	Lens Coating/Shade	Color
808-1006.600	SH2.5; SH8 to SH12	Black

Winter Liners & Hoods



Arctic Jr. Winter Liners

Features:

- Cold weather protection.
- Flame retardant treated.
- Fits all standard headgear.

Style: Extra Large Neck Flap

Color: Blue

Resistance: Cold Weather

Fastening Method: Neck Flap

Type: Heavy Duty

Climate Range: Severe Cold



SKU	Material	Lining
101-600	Twill	Sheep Thermal Lining



Fleece Lined Cotton Twill 2-Layer Winter Liners

Features:

- 100% cotton twill top with flame retardant (FR) treatment until washed.
- Fleece lining.
- Warming pocket lined with DuPont™ Tyvek® (excluding XX405 and XX600 styles).
- Choose from shoulder length (14 inches to 16 inches), mid length (11 inches to 13 inches), or regular length (9 inches to 10.5 inches).

Style: Classic

Color: Navy; Red

Resistance: Cold Weather; FR Treated Until Washed

Fastening Method: Hook-and-Loop

Type: Mid Length



SKU	Material	Lining
561-LB600	100% Cotton Twill Shell	Fleece

HEAT STRESS PROTECTION

Activity Drinks



G Series O2 Perform® Thirst Quencher Instant Powders

Features:

- Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.
- Carbohydrates help stimulate rapid fluid absorption and fuel the active body.



SKU	Package Yield	Capacity Vol.	Flavor	Quantity
308-03808	1 gal	8.5 oz	Fruit Punch	40 EA/CA
308-03928	32 oz	2.12 oz	Lemon-Lime	144 EA/CA
308-03944	2.5 gal	21 oz	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush	32 EA/CA
308-03956	1 gal	8.5 oz	Lemon-Lime	40 EA/CA
308-03957	1 gal	8.5 oz	Orange	40 EA/CA
308-03967	6 gal	51 oz	Lemon-Lime	14 EA/CA
308-03968	6 gal	51 oz	Orange	14 EA/CA
308-03969	2.5 gal	21 oz	Lemon-Lime	32 EA/CA
308-03970	2.5 gal	21 oz	Orange	32 EA/CA

Liquid Concentrates

Features:

- Drink mixes have a blend of electrolytes and carbohydrates to help speed hydration and restore energy.
- Caffeine-free.
- Mix with water per instructions.

Flavor: Lemon-Lime

Packing Type: Jug

Quantity: 4 BO/CA



SKU	Package Yield	Capacity Vol.
308-03984	6 gal	1 gal



Propel® Instant Powder Packets

Features:

- Convenient, individual packets contain the same level of electrolytes as Propel unflavored water plus Vitamin C and Vitamin E.
- They have enough electrolytes to replace what you put out and keep you moving.
- Simply pour powder into your water, mix and drink to refresh yourself.

Packing Type: Packet

Quantity: 120 per case

SKU	Package Yield	Capacity Vol.	Flavor
308-01087	16.9 oz	0.08 oz	Berry
308-01088	16.9 oz	0.08 oz	Kiwi Strawberry
308-01097	16.9 oz	0.08 oz	Grape
308-01090	16.9 oz	0.08 oz	Lemon

Thirst Quencher

Features:

- A scientifically proven blend of carbohydrates and key electrolytes designed to help athletes and active people rehydrate, refuel and push through.
- Delicious and refreshing fruit flavor combinations.
- Trusted by professional and amateur athletes alike.

Packing Type: Bottle

Quantity: 24 per case



SKU	Capacity Vol.	Flavor
308-12196	12 oz	Fruit Punch
308-12937	12 oz	Orange
308-12178	12 oz	Lemon-Lime



Powder Packs

Features:

- Powder Pack mixes quickly and easily with water.
- Helps replenish fluids and electrolytes to prevent dehydration.

Flavor: Fruit Punch; Grape; Lemon-Lime; Orange

Quantity: 32 per case



SKU	Package Yield	Capacity Vol.
690-159016044	2.5 gal	23.83 oz

Qwik Stik® ZERO Sugar

Features:

- Great-tasting sugar-free electrolyte replacement.
- Ideal for diabetics and carb-conscious consumers.

Packing Type: Pack



SKU	Package Yield	Flavor	Quantity
690-159060099	20 oz	ZERO Sugar Strawberry Lemonade	500 per case
690-159060100	20 oz	ZERO Sugar Orange	500 per case
690-159060101	20 oz	ZERO Sugar Mixed Berry	500 per case
690-159060102	20 oz	ZERO Sugar Fruit Punch	500 per case
690-159060103	20 oz	ZERO Sugar Lemonade	500 per case
690-159060106	20 oz	ZERO Sugar Lemon-Lime	500 per case
690-159060107	20 oz	ZERO Sugar Grape	500 per case
690-159060109	20 oz	ZERO Sugar Cool Citrus	500 per case
690-159060119	20 oz	ZERO Sugar Fruit Punch; ZERO Sugar Mixed Berry; ZERO Sugar Orange; ZERO Sugar Strawberry Lemonade	200 per case
690-159060200	10 oz	ZERO Sugar Orange	500 per case
690-159060201	10 oz	ZERO Sugar Mixed Berry	500 per case
690-159060202	10 oz	ZERO Sugar Fruit Punch	500 per case
690-159060204	10 oz	ZERO Sugar Grape	500 per case
690-159060205	10 oz	ZERO Sugar Lemon-Lime	500 per case

Squeeze® Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Cherry; Grape; Lemon-Lime; Mixed Berry; Orange



SKU	Package Yield	Quantity
690-159200201	3 oz	150 EA/CA



Squeeze® ZERO Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew but without the sugar.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Dragon Fruit; Mixed Berry; Orange; Punch; Watermelon

Packing Type: Tube

Quantity: 150 EA/CA

SKU	Package Yield	Capacity Vol.
690-159200231	3 oz	3 oz

Bandanas



Cooling Towels

Features:

- Just add water.
- Towel temperature drops 15 to 20 degrees in 1 to 2 min.
- Once activated this product assists in lowering temperature.
- Absorbs up to 12 times its dry weight.
- Reusable.

Test & Approvals: TRA MSDS

Length: 27 in

Size Group: 17 in x 27 in

SKU	Material	Color
118-91000	PVA Poly Vinyl Alcohol	Blue



Chill-Its® 6487 Cooling Multi-Bands



Features:

- The Chill-Its® 6487 Cooling Multi-Band offers protection from the sun, dust and flying debris, as well as cooling relief.
- It features evaporative technology for immediate cooling, and UPF 50+ protection against the sun's rays.
- Soft, stretchable knit material can be worn several different ways – wear as a cooling headband, neck gaiter, face mask, hat, dew rag and more.

Size Group: One Size

SKU	Material	Color
150-42129	Microfiber; Polyester; Spandex	Blue

Chill-Its® 6702 Cooling Bandanas



Features:

- The Chill-Its® 6702 Cooling Bandana is an evaporative cooling headband designed to deliver instant cooling relief lasting up to 4 hours.
- This lightweight bandana is designed with polymer crystal technology embedded in a batting material for fast cooling without the bulk.
- Embedding the polymer crystals reduces uneven expansion of the polymers when wet (less bulk, more comfort).
- Use the tie-closure to adjust the fit around the head, neck or wrists.

Closure Type: Tie

Size Group: One Size

SKU	Material	Color
150-12396	Polymer Crystals; Batting	Black
150-12397	Polymer Crystals; Batting	Lime
150-12399	Polymer Crystals; Batting	Blue



MiraCool® PVA Cooling Neck Wraps

Features:

- Multifunctional design, wear on your neck or use to wipe down.
- Fast activation.
- Reusable and easy to recharge.
- Helps reduce the cause of heat stress.

Closure Type: Tie

Size Group: One Size



SKU	Material	Length	Color
561-930-BL	MiraCool® PVA	31.5 in	Blue

Sweat Bands



Headgear Sweatbands



Features:


- Individually packaged.
- Hook & loop closure allows the fit onto most major brand headgear.
- Sweat absorbent air cushioned layer lined with 100% fleece cotton.

Used With: Suspension Headgear

Strap Type: Hook and Loop

SKU	Color	Material
101-SB320V	Orange	Fleece Cotton

Leather Sweatbands



Features:

- Individually packaged.
- Snaps on any headgear.
- Absorbent air cushioned layer lined with 100% fleece cotton.

Used With: Headgear

SKU	Color	Material
101-SB700	White	Cowhide



Headgear Sweatbands



Features:

- Air cushioned, sweat absorbing layer surrounded by 100% fleecy cotton cover.
- Flame retardant for industrial use.
- Hook & loop closure allows the fit onto most major brand headgear.

Used With: Non-Suspension Headgear

SKU	Color	Material
902-SB310V	Orange	FR Fleece Cotton

Honeywell
FREE METAL AUTHORIZED DISTRIBUTOR

SuperEight™ Cotton Jersey Sweatbands

Features:

- Convenient SuperEight™ sweatbands can easily be removed, cleaned, and replaced.
- Designed for comfort and durability.
- Soft cotton jersey for added comfort.

Used With: Hard Hats; Full Brim Hats

Strap Type: Hook-and-Loop



SKU	Color	Material
280-FM69	Black	Soft Cotton Jersey

Sweatbands

Features:

- Highly absorbent fabric.
- Can easily be removed, cleaned, and replaced.

Used With: E1 E2 and P2 Series Helmets

Strap Type: SuperEight™ Swing Strap



SKU	Color	Material
280-FM44RTV	Black	Terry Cloth

LOCKING DEVICES

Lock Boxes

Master Lock

Group Lock Boxes

Features:

- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

Length: 9-1/4 in

Height: 6 in

Color: Red



SKU	Material	Width
470-498A	Steel	3-3/4 in

Lockouts & Hasps



BRADY

Breaker Lockouts

Features:

- Circuit breaker lockouts work on a wide range of breakers that include single- and multi-pole breaker configurations.
- Snap-on and clamp-on breaker lockout options accommodate almost any situation.

Width: - 3/4 in

No. of Padlocks: 1

Used With: Single and Multi-Pole Breakers

Color: Red

SKU	Type	Length
262-65965	Clamp-On	5/8 in

Master Lock

Cable Lockout Devices with Steel Core Cables

Features:

- Cable lockout with adjustable steel core cable.
- Cable features a plastic coating for added durability and visibility.

No. of Padlocks: 4

Includes: Cable; Lockout

Color: Red



SKU	Type
470-S806	Adjustable Cable Lockout



Safety Series™ Lockout Stations with Key Registration Card

Features:

- Exclusive translucent cover protects contents.
- Easy-to-carry, zippered pouch holds a worker's personal padlocks and other small lockout devices.
- Innovative hinge holds cover open for easy product selection.
- Integrated, one-piece molded construction eliminates loose parts.
- Key registration card included to track and record all key codes in the facility.
- Lockable to prevent loss of valuable safety lockout padlocks.
- Reinforced snap lock clips provide easy padlock and hasp storage and removal.
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations.



Width: - 22 in

Shackle Length: 1/4 in

No. of Padlocks: 10

Includes: (10) Red Padlocks, (2) 1 in Steel Jaw dia Hasps, (24) Tags

Used With: OSHA Safety Lockout

Depicted Text: Danger; Locked Out; Do Not Remove

Color: Yellow

SKU	Type
470-1483BP410	Lockout Station

Zenex™ Thermoplastic Safety Lockout Padlocks

Features:

- Designed exclusively for lockout tagout applications.
- Durable, lightweight, non-conductive Thermoplastic lock body.
- Customize on-site with permanent, write-on labels.
- Compliance with "One Employee, One Lock, One Key" directive.
- High security, reserved-for-safety cylinder.
- Key retaining, ensures that padlock is not left unlocked.
- 6-pin tumbler for Keyed Alike (KA), Keyed Different (KD), and Master Keyed (MK) styles.
- Choose from 1-3/4 inch (406 and 410) or 3 inch (411) body heights.
- Dielectric (406) options available



SKU	Color
470-410BLK	Black
470-410BLU	Blue
470-410GRN	Green
470-410ORJ	Orange
470-410PRP	Purple
470-410RED	Red
470-410YLW	Yellow

Padlocks & Cables



No. 1 Laminated Steel Padlocks

Features:

- Non-rekeyable cylinder or universal pin, laminated steel body for superior strength.
- Hardened boron alloy shackles for extra cut resistance.
- Proprietary rustproofing for longer life.
- Commercial grade padlock features superior protection from drilling and prying.
- Dual ball bearings locking for maximum pry resistance making it ideal for industrial applications.
- Choose between Keyed Different (KD), Master Keyed (MK), and Master Keyed/Keyed Alike (MKKA).



Shackle Diam: 5/16 in

Shackle Inner Width: 3/4 in

Shackle Material: Hardened Boron Alloy

SKU	Code Format	Color
Commercial grade padlock features superior protection from drilling and prying. Carded packaging.		
470-1DCOM	Varies	Silver; Gray Bumpers
470-1D	Varies	Silver; Blue Bumper

RESPIRATORY PROTECTION

Cartridge Respirator Parts & Accessories



3M™ Particulate Filters

Features:

- Lightweight and easy to breathe through.
- Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.
- Assortment of filters available for a wide range of applications.

Test & Approvals: NIOSH



SKU	Resistance	Filtration Grade	Color
142-2071	Solids; Liquids; Oil Based Particles; Metal Fumes	P95	White
142-2078	Organic Vapors; Acid Gases	P95	White
142-2091	Oil and Non-Oil Based Particles	P100	Magenta
142-2096	Acid Gases	P100	Magenta
142-2097	Nuisance Level Organic Vapor	P100	Magenta



3M™ 6000 Series Gas/Vapor Cartridges



Features:

- Swept-back design allows an enhanced field of view and comfort.
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Respirators.
- Wide range of applications reduces inventory needs.
- Simple installation and usage requirements reduces training requirements.

Test & Approvals: NIOSH approved for protection against certain organic vapors

Usage: Contaminants

SKU	Type	For Model	Resistance
142-6001	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Organic Vapors (OV)
142-6002	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Acid Gases (AG)
142-6003	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Acid Gases (AG); Organic Vapors (OV)
142-6004	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Ammonia; Methylamine
142-6005	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Formaldehyde; Organic Vapors (OV)
142-6006	Cartridge Only	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Formaldehyde; Organic Vapors (OV)



Personal Safety Equipment Cleaning Pads



Features:

- Easy to use wipes for cleaning face pieces and other personal safety equipment.
- These wipes are perfect for rubber respirator face pieces where the manufacturer recommends using a non-alcohol cleaning wipe.
- Non-woven material and saturated with Benzalkonium Chloride.
- Will not harm sensitive rubber face-piece.
- Individually pre-packaged.

Usage: Cleaning

Color: White

SKU	Type	For Model
037-3001	Cleaning Pad	Respirators; Other Personal Safety Equipment



AUTHORIZED DISTRIBUTOR



Combination Gas and Vapor Cartridges

Features:

- Convenient cartridge/P100 filter combination.
- Packed in pairs for fast, easy change outs.
- Color coded for quick and easy identification.
- Filters out different vapors.

Filtration Grade: P100

SKU	Type	For Model	Usage	Color
068-7581P100L	Organic Vapor	5500, 7700 Half Masks; 5400, 7600 Full Facepieces	Contaminants	Black/Magenta
068-7582P100L	Acid Gas	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Chemical; Manufacturing; Oil & Gas Industry	Magenta/White
068-7583P100L	Organic Vapor/Acid Gas	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Contaminants	Yellow/Magenta



Pancake Series Filters

Features:

- Low profile fits under welding helmets and faceshields.
- They are flexible enough to fit in even the tightest spots, yet still firm enough to easily perform negative pressure user seal checks.

Resistance: Dust; Mist; Fumes

Filtration Grade: P100

Usage: Chemical; Government; Manufacturing; Oil and Gas

Color: Pink

SKU	Type	For Model
068-75FFP100	Cartridge/Filter	5500, 7700 Half Masks; 5400, 7600 Full Facepieces



7000 & 9000 Series Filter Disks

Features:

- Compliments both 7000 half mask and 9000 full face respirators.
- Easy mount bayonet attachment.

Test & Approvals: NIOSH Approved

Resistance: Oil and non-oil Particulates

Filtration Grade: P100

Usage: Pharmaceuticals; Battery; Nuclear; Welding; Metal Processing; For contaminants where an OSHA substance specific standard applies

SKU	Type	For Model
507-7940	Filter	Moldex 7000 and 9000 Series



7000 & 9000 Series Gas/Vapor Cartridges

Features:

- Compliments both 7000 half mask and 9000 full face respirators.
- Easy mount bayonet attachment.

Test & Approvals: NIOSH Approved

Resistance: Organic Vapors

Usage: Degreasing; Forging; Foundries; Rubber Manufacturing; Pharmaceuticals; Ink Manufacturing

Color: Black

SKU	Type	For Model
507-7100	Cartridge	Moldex 7000 and 9000 Series



P100 Particulate Filter Cartridges for 7000/7800/9000 Series Respirators

Features:

- Keyless bayonet-style attachment makes assembly quick and easy.
- 100% PVC-free.

Test & Approvals: Certified Under NIOSH 42 CFR 84

Resistance: Oil and Non-Oil Based Particulate Aerosols

SKU	Filtration Grade
507-7990	P100



The Safety Company



Advantage® Respirator Cartridges

Features:

- Advantageline of particulate, chemical, and combination cartridges are lightweight, low profile performance.
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators.
- Comfortable, lightweight protection.
- Self-adjusting crown straps.
- Consists of a polyethylene shell and suspension system working together as a protection system.
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators.

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Usage: Contaminants

SKU	Type	Resistance	Filtration Grade	Color
454-815355	GMA	Organic Vapors	GMA	Black
454-815359	GME	Organic Vapors; Chlorine; Sulfur Dioxide; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Sulfide; Ammonia; Methylamine; Formaldehyde; Hydrogen Fluoride	GME	Olive
454-815362	GMA/P100	Organic Vapors	GMA/P100	Black/Magenta
454-815364	GMC/P100	Chlorine; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Sulfide; Organic Vapors; Sulfur Dioxide	GMC/P100	Yellow/Magenta
454-815366	GME/P100	Organic Vapors; Chlorine; Sulfur Dioxide; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Sulfide; Ammonia; Methylamine; Formaldehyde; Hydrogen Fluoride; Mercury Vapor	GME/P100	Olive/Magenta
454-815368	Mersorb/P100	Chlorine; Mercury Vapor	MERSORB/P100	Olive/Magenta/White
454-815369	P100	Chemical and Particulate Aerosols	P100	Magenta



Comfo® Respirator Cartridges

Features:

- Cartridges fit Comfo®, Comfo® Classic, and certain half-mask and full-face Advantage Respirators with Adapter (809999).
- Choose from a variety of Comfo® line of chemical and combination cartridges.

Test & Approvals: NIOSH Certified to 42 CFR Part 84

Usage: Contaminants

SKU	Type	Resistance	Filtration Grade
454-464031	Organic Vapor (GMA)	Organic Vapor (OV)	N95; R95
454-464046	Organic Vapor/Acid Gas (GMC)	Organic Vapor (OV); Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Sulfur Dioxide (SD)	N95; R95
454-492790	Multigas (GME)	Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Sulfur Dioxide (SD)	N95; R95
454-815178	Organic Vapor/P100 (GMA)	Organic Vapor (OV); Particulates	P100
454-815180	Organic Vapor/Acid Gas/P100 (GMC)	Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Particulates; Sulfur Dioxide (SD)	P100
454-815182	Multigas/P100 (GME)	Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Particulates; Sulfur Dioxide (SD)	P100
454-815188	Organic Vapor/Acid Gas/P100 Short Stack (GMC)	Organic Vapor (OV); Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Sulfur Dioxide (SD)	P100



Particulate Filters

Features:

- The MSA air-line filter removes a minimum of 99 percent of 0.3 micron and larger particulates, including dusts, mists, fumes, smokes and petroleum vapors.
- Caution: It does not remove carbon monoxide.
- The air-line filter can be used at inlet pressures up to 125 psig.
- The pressure drop is one psig at a maximum rated air flow of 25 cubic feet per minute.

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Resistance: Dust; Mist; Fumes

Filtration Grade: P100

Usage: Contaminants

Color: Magenta/White

SKU	Type	For Model
454-10153412	P100	Comfo® Classic Half Mask; Ultra-Twin Full-Facepiece

Cartridge Respirators



3M™ Half Facepiece Disposable Respirator Assemblies



Features:

- Resealable storage bag helps keep respirator clean between uses.
- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses.
- Can be used with NIOSH P95 and P100 filters for oil and non-oil particles.
- For convenience and simplicity, some 3M respirator package assemblies are packaged with either P95 or P100 filters along with 501 filter retainers or 502 filter adapters.

Test & Approvals: NIOSH Approval: Certain organic vapors

Body Material: Thermoplastic Elastomer

SKU	Size Group	Resistance	Includes
142-5201	Medium	Organic Vapors	Cartridges
142-5203	Medium	Organic Vapors/Acid Gases	Cartridges
142-52P71	Medium	Organic Vapors	P95 Filter; 501 Filter Retainers
142-5303	Large	Organic Vapors/Acid Gases	Cartridges
142-53P71	Large	Organic Vapors	P95 Filter; 501 Filter Retainers

3M™ Full Facepiece Reusable Respirators



Features:

- Unique center adapter directs exhaled breath and moisture downward, and helps reduce debris from depositing in the valve.
- Smooth surface allows for quick and easy cleaning.
- Large lens provides a wide field of view and excellent visibility.
- 3M™ Cool Flow™ Valve provides cool, dry comfort.
- Lightweight well-balanced design and silicone face seal for enhanced comfort and durability.

Test & Approvals: NIOSH Approved for protection against certain organic vapors

Body Material: Silicone; Thermoplastic Elastomer

Includes: One Mask

SKU	Size Group	Resistance
142-6700	Small	Gases; Vapors; Particulates
142-6800	Medium	Gases; Vapors; Particulates
142-6900	Large	Gases; Vapors; Particulates



3M™ Half Facepiece Reusable Respirators



Features:

- Advance silicone material for increased comfort and greater durability.
- Proprietary 3M™ CoolFlow™ Valve helps makes breathing easier.
- Dual mode head harness adjusts easily for either standard or drop-down mode.
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.
- Color coded to indicate size for easy identification.

Test & Approvals: NIOSH approved with various cartridges, filters and supplier air systems

Body Material: Silicone

Resistance: NIOSH approved with various cartridges, filters and supplied air system

Includes: Facepiece

SKU	Size Group
142-7501	Small
142-7502	Medium
142-7503	Large



3M™ Half Facepiece Reusable Respirators 6000 Series

Features:

- Half facepiece drop down.
- Used with 2000, 6000 and 7000 Series filters and cartridges.
- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps.
- Reusable.
- Just dispose of the cartridges/filters when used to capacity.

Test & Approvals: NIOSH Approved for negative pressure air purifying and positive pressure dual airline applications

Body Material: TPE

Resistance: Gases; Vapors; Particulates

Includes: Facepiece

SKU	Size Group
142-6100	Small
142-6200	Medium
142-6300	Large



3M™ Secure Click™ Full Facepiece Reusable Respirators



Features:

- The quick, easy, one-touch positive pressure push button seal check helps provide improved confidence in respirator fit.
- Two dual-flow cartridges on each respirator combine to create the world's first quad flow cartridge systems with four airflow paths providing easy breathing and comfort.
- Large lens for excellent field of vision, and treated with Scotchgard™ Protector for improved paint and stain resistance.
- Six-strap harness helps provide a secure comfortable fit.
- Speaking diaphragm is designed to help provide easy communication.

Body Material: Silicone

Resistance: Particulates; Gases; Vapors; Airborne Contaminants

SKU	Size Group
142-FF-801	Small
142-FF-802	Medium
142-FF-803	Large



3M™ Secure Click™ Half Facepiece Reusable Respirators

Features:

- Speaking diaphragm is designed to help provide easier communication while you work.
- Push button seal check is an easy way to conduct the required seal check prior to each use.
- Secure Click™ connection style enables a quick, simple connection of filters and/or cartridges.
- Patented silicone flex-joint face seal provides a softer feel for more comfort.
- Easy-adjust head cradle buckles provide two-way adjustability.
- Low profile design offers a wide field of view and compatibility with certain welding and grinding shields.
- For workplace/occupational use only.

Body Material: Silicone/Nylon

Resistance: Gases; Vapors

Includes: Speaking Diaphragm

SKU	Protected Area	Size Group
142-HF-803SD	Nose and Mouth	Large
142-HF-802SD	Nose and Mouth	Medium
142-HF-801SD	Nose and Mouth	Small



AUTHORIZED DISTRIBUTOR



5400 Series Low Maintenance Full Facepiece Respirators

Features:

- Lightweight design offers a level of comfort that ensures greater worker acceptance.
- Provides comfort and protection.
- The facepiece seal is made from a soft and pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.

Body Material: Elastomer

SKU	Size Group	Resistance	Includes
068-54001S	Small	Particulates; Chemical; Contamination; Gas	(2) Wipes; Booklet; Nose Cup; Polybag
068-54001	Medium/Large	Chemical; Contamination; Gas; Particulates	Facepiece



7600 Series Silicone Full Facepiece Respirators

Features:

- Designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance.
- Its dual flange silicone seal gives this facepiece superior fitting characteristics.
- Lens provides 200 degree field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact resistance.
- Cartridge/filter sold separately.

Body Material: Silicone

Includes: Facepiece

SKU	Size Group	Resistance
068-760008AS	Small	Chemical;Contamination;Gas;Particulates
068-760008A	Medium/Large	Particulates;Chemical;Contamination;Gas



7700 Series Half Mask Respirators

Features:

- Silicone facepiece conforms to facial features.
- Contoured sealing flange and cradle suspension system eliminates discomfort.
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

Test & Approvals: NIOSH Certified for use with North N Series filters and cartridges, Compact Air PAPR and CF2000 Supplied Air Respirator

Body Material: Silicone

Includes: Facepiece

SKU	Size Group	Resistance
068-770030S	Small	Particulates;Chemical; Contamination; Gas
068-770030M	Medium	Particulates; Chemical; Contamination; Gas
068-770030L	Large	Particulates; Chemical; Contamination; Gas



7000 Series Reusable Half-Mask Facepieces

Features:

- Sleek design for modern, high-tech look and increased worker acceptance.
- Light weight design plus extra-wide sealing area provides all-day comfort.
- Low profile, compact design fits well under welding helmets and with safety glasses.
- Mask drops down for convenient storage around the neck or locks down for custom fit.
- Adjustable head cradle and curved neck buckles for extra comfort.
- Wide field of vision.
- Maintenance made simple with very few replacement parts.
- 100% PVC-free.

Test & Approvals: NIOSH Approved

Body Material: Thermoplastic Elastomer

Resistance: Gases; Particulates; Vapors

Includes: Facepiece; Adjustable Head Cradle

SKU	Size Group
507-7002	Medium
507-7003	Large



9000 Series Reusable Full Face Respirators



Features:

- High-tech, streamlined design for exceptional worker acceptance.
- Exclusive over-molded lens offers greater field of vision.
- Lighter weight for superior all-day comfort.
- Less cost and easy maintenance with very few replacement parts.
- Stand-away head harness for easy donning and doffing.
- Lens stays away from flat surface when laid down to avoid scratching.
- Tear away lens protector included.
- 100% PVC-free.

Test & Approvals: ANSI Z87+; NIOSH Approved

Body Material: Thermoplastic Elastomer

Resistance: Airborne Particles; Gases; Vapors

Includes: Facepiece; Stand Away Head Harness

SKU	Protected Area	Size Group
507-9002	Full Facepiece	Medium
507-9003	Full Facepiece	Large



The Safety Company

Advantage® 1000 Facepieces



Features:

- Wraparound flexible lens that offers excellent fit and comfort with increased vision.
- Weighs 40% less than conventional full-face piece respirators.
- Constructed of super-soft Hycar™ rubber that provides the feel and comfort of silicone but has a better permeation resistance.
- Unique inturred lip seal that provides exceptional seal against a wide range of face contours.
- Distinctive, flexible urethane lens that is integrally bonded to the facepiece, eliminating the need for rigid lens retainers that can cause unwanted pressure points.
- Speaking diaphragm for clear, short range communication.
- Nosecup reduces lens fogging in low temperatures or high-humidity conditions.

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Body Material: Hycar™ Rubber

SKU	Protected Area	Size Group
454-805408	Full Facepiece	Medium
454-805420	Full Facepiece	Large

Advantage® 200 LS Half-Mask Respirators



Features:

- Offers maximum protection and high wearing comfort.
- Soft, pliable combination of rubber and plastic provides a customized and pressure-free fit.
- Instantly conforms to the wearer's unique facial characteristics.
- Ideal for applications where workers are exposed to various hazards from job to job, such as high concentrations of fumes, mists, and gases.

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Body Material: Thermoplastic Rubber

Resistance: Particles; Gases

SKU	Protected Area	Size Group
454-815444	Mouth/Nose	Medium
454-815448	Mouth/Nose	Small
454-815452	Mouth/Nose	Large

Ultra-Twin® Respirators



Features:

- Inturred lip around the edge for secure, comfortable seal against the face.
- Large chin cup makes it easy to position.
- Five suspension headstraps and roller buckles hold the facepiece in place while minimizing hair entanglement.
- Wide polycarbonate lense is coated to resist scratching and chemical attack.
- Lens is held in place by a two-piece lens ring which is color-coded to indicate the size of the facepiece.
- Speaking diaphragm for clear, short range communication.
- Nosecup reduces lense fogging in low temperatures or high-humidity conditions.

Test & Approvals: NIOSH Approved to 42 CFR Part 84

Resistance: Particles; Gases

SKU	Protected Area	Size Group	Body Material
454-471286	Full Facepiece	Medium	Hycar™ Rubber
454-471310	Full Facepiece	Large	Hycar™ Rubber
454-480263	Full Facepiece	Small	Silicone
454-480259	Full Facepiece	Medium	Silicone
454-480267	Full Facepiece	Large	Silicone

Disposable Respirator Parts & Accessories



Mouthbit Escape Respirators

Features:

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations.
- Large, soft and flexible nose pads hold securely without pinching.
- Wider nose clip fits a variety of facial types.
- Silicone mouthpiece is more comfortable to wear over long periods.
- Packed in sealable plastic bag (carrying bag sold separately --79BAG).

Depth: 9 in

Height: 3 in

Width: 4-1/2 in

Quantity: 10 per pack



SKU	Type	Resistance
068-7902	Acid Gas	Chlorine; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Sulfur Dioxide; Chloride Dioxide
068-7904	Filter	Ammonia; Methylamine

Disposable Respirators



3M™ N95 Particulate Respirators

Features:

- Two-strap design with single point attachment helps provide a secure fit.
- Adjustable noseclip reduces eyewear fogging and helps ensure a better fit and seal.
- Lightweight construction enhances worker comfort and wear time.
- Patented filter media with advanced electrostatically charged microfibers help make breathing easier and cooler for enhanced user comfort.

Test & Approvals: Meets NIOSH 42 CFR 84 N95 Requirements. TC-84A-4271

Size Group: One Size

Suspension: Two Fixed Straps



SKU	Protected Area	Resistance	Usage	Quantity	Includes
142-8200	Half Facepiece	Certain Non-Oil Based Particles	Grinding; Sanding; Sweeping; Bagging; Other Dusty Operations	20/bx	Adjustable Noseclip
142-8210	Half Facepiece	Dust; Non-Oil Particulates	Grinding; Sanding; Sweeping; Bagging; Other Dusty Operations	20/bx	Adjustable Noseclip
142-8210V	Half Facepiece	Dust; Non-Oil Particulates	Construction; General Manufacturing; Mining; Oil & Gas; Transportation	10/bx	3M™ Cool Flow™ Valve; Adjustable Noseclip
142-8511	Half Facepiece	Dust; Non-Oil Particulates	Grinding; Sanding; Sweeping; Bagging; Other Dusty or Arid Operations	10/bx	3M™ Cool Flow™ Valve; M Noseclip

3M™ N95 Particulate Welding & Metal Pouring Respirators



Features:

- Disposable respirator features electrostatically charged microfibers designed for ease of breathing.
- Protective layers of welding web are flame resistant.
- Cool Flow™ exhalation valve reduces heat build up to keep the wearer more comfortable.
- Cake-resistance carbon filter material provides longer respirator life.
- Two straps provide a custom and secure fit.

Test & Approvals: ASTM D2859-96; Meets NIOSH 42 CFR 84 N95 Requirements, TC-84A-0454; OSHA APF 10

Size Group: One Size

Resistance: Gas/Vapor Particulates; Non-Oil Aerosol; Welding Fumes

Quantity: 10/bx

SKU	Protected Area	Usage	Suspension	Includes
142-8212	Half Facepiece with Faceseal	Brazing; Metal Pouring; Soldering; Torch Cutting; Welding	Adjustable Buckle Straps	3M™ Cool Flow™ Valve; Carbon Filter Material; N100 Required; Welding Web
142-8515	Half Facepiece with Adjustable Nose Clip	Brazing; Soldering; Torch Cutting; Welding	Stapled; Braided Head Band Straps	3M™ Cool Flow™ Valve; Carbon Filter Material; Welding Web



SAF-T-FIT PLUS N1115 Disposable Respirators

Features:

- Boomerang nose seal is adjustable for secure fit and added comfort.
- Color-coded for quick size identification.
- Latex-free.

Test & Approvals: NIOSH Approved N95 Protection

Size Group: Medium/Large

Resistance: Non-Petroleum Based Liquid Aerosols; Solid Particulates

Usage: Agriculture; Cutting; Dusty Operations; Grinding; Landscaping; Medical; Polishing; Sanding; Sweeping; Woodworking

Color: White; Green

Suspension: Elastic Straps

Quantity: 20 EA/BX

Includes: Boomerang Nose Seal

SKU	Protected Area	Filtration Grade
695-14110391	Half-Facepiece	Non-Valved N95



Honeywell
NORTH
AUTHORIZED DISTRIBUTOR

SAF-T-FIT PLUS N1125 Particulate Respirators

Features:

- Boomerang nose seal is adjustable for secure fit and added comfort.
- Exhalation valve to release moist, exhaled air.
- Cooler, more comfortable, during extended wear.
- Latex-free.

Test & Approvals: NIOSH Approved N95 Protection
Size Group: Medium/Large
Resistance: Aerosols Free of Oil
Usage: Welding; Soldering; Brazing; Torch Cutting; Metal Pouring; Grinding; Sanding; Sweeping; Dusty/Hot Operations
Color: White
Suspension: 2-Strap
Quantity: 20 EA / BX
Includes: Boomerang Nose Seal

SKU	Protected Area	Filtration Grade
695-14110394	Half Facepiece	N95



MOLDEX

2200 Series N95 Particulate Respirators

Features:

- For humid and/or dusty work environments, this is a mask that fits the bill.
- Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter.
- Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

Test & Approvals: NIOSH Approved
Resistance: Non-Oil Based Particulates
Color: White
Suspension: 2-Strap

SKU	Protected Area	Size Group	Quantity
507-2201N95	Half-facepiece	Small	20/bx
507-2200N95	Half-facepiece	Medium/Large	20/bx
507-2207N95	Half-facepiece	Low Profile	20/BX



2300 N95 2-Strap Particulate Respirators with Exhale Valve

Features:

- Exhale valve lets workers breathe easy and stay cool.
- Dura-Mesh® shell resists collapsing in heat and humidity.
- Molded nose bridge seals easily without a metal noseband.
- Facepiece is naturally contoured for less pressure.
- Straps are securely attached so they don't break at the seal.
- Softspun® lining for increased comfort and durability.
- Soft foam nose cushion for added comfort.
- Available in three sizes to fit more workers and increase OSHA compliance.

Test & Approvals: Certified Under 42CFR84; NIOSH Certified to Have a Filter Efficiency of 95% or Greater for Non-Oil Based Particulates
Resistance: Non-Oil Based Particulate Aerosols
Color: Blue
Suspension: 2-Strap

SKU	Protected Area	Filtration Grade	Size Group	Quantity
507-2301N95	Mouth and Nose	N95	Small	10 EA/BOX
507-2300N95	Mouth and Nose	N95	Medium/Large	10 EA/BX

AirWave® N95 Plus Organic Vapor Relief Disposable Respirators

Features:

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors.
- FlexFit® design moves easily with your face and stays in place.
- Fits easily under welding hoods.
- Can be used against most welding fumes (free of oil).

Test & Approvals: ANSI/ISEA 110-2003 Section 7.11.1
Size Group: Medium/Large
Resistance: Oil-Free Particulates
Usage: Grinding; Torch Cutting; Sanding; Metal Pouring
Color: Gray
Suspension: SmartStrap® Adjustable Strap with Full Flange
Quantity: 8/BX



SKU	Protected Area	Filtration Grade
507-4800	Mouth; Nose	N95



Airwave™ N95 Disposable Particulate Respirators

Features:

- Larger surface area means more air flows in and out of the mask -- without a valve.
- Durable Dura-Mesh® shell prevents collapsing from heat and humidity.
- FlexFit® design fits the contours of the face and mouth for comfortable extended-wear.

Test & Approvals: ANSI/ISEA 110-2003 7.11.1

Size Group: Medium/Large

Resistance: Oil-Free Particulates

Usage: Grinding; Torch Cutting; Sanding; Metal Pouring;

Color: Light Gray

Suspension: SmartStrap® Adjustable Strap

Quantity: 10/bx



SKU	Protected Area	Filtration Grade
507-4600	Half-facepiece	N95

Escape Respirators



The Safety Company

W65 Self-Rescuer Respirators

Features:

- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions.
- One time use device for escape purposes only.
- Protected by a rugged stainless steel case.
- Do not use in atmospheres containing less than 19.5% oxygen or in atmospheres containing other toxic gases and vapors.

Test & Approvals: NIOSH Approval No. TC-14g-82, for self-rescue from carbon monoxide.; MSHA Approved

Usage: Escape

Includes: Protective Steel Case

Body material: Noble Metal Catalys; Hopcalite Pre-Filter (W 95)

SKU	Type	Resistance
454-455299	Self-Rescue Respirator	Carbon Monoxide

Powered Air & Supplied Air System Parts & Accessories



3M™ Versaflo™ Length Adjusting Breathing Tube

Features:

- Connects any Versaflo™ Headtop to any Versaflo™ air source.
- Features a flexible helix that adjusts to the appropriate length for the individual wearer.
- Easy to connect and replace.

Color: Black

SKU	Used With	Type
142-BT-30	BT Series	Breathing Tube



3M™ Versaflo™ M-Series Standard Outer Shroud M-445

Features:

- The M-445 Outer Shroud is an economical, easily-replaced outer shroud for 3M™ Versaflo™ M-400 Helmets.
- A M-444 Inner Shroud (sold separately) must be zipped into the outer shroud.

Size Group: Universal

Color: White

SKU	Used With	Type
142-M-445	M-400 Series	Outer Shroud



3M™ Versaflo™ Peel-Off Visor Covers M-928/37452(AAD)

Features:

- Protects the visor from contaminants and scratches.
- Self-adhesive visor covers can be easily applied and removed.

Color: Clear

SKU	Used With	Type
142-M-928	3M™ M-Series Faceshields	Peel-Off Visor Cover



OptimAir® TL PAPR Standard Kits

Features:

- Includes parts required to build a full system or to replace worn parts on existing PAPR system.
- Audible and visual alarms indicate low flow indication and low battery voltage.

SKU	Used With	Type
454-10081117	Hoods	PAPR Standard Kit for Hoods

Powered Air & Supplied Air Systems



3M™ Versaflo™ Heavy Industry PAPR Kit TR-300N+ HIK

Features:

- With PPE equipment that's designed for compatibility, you can easily accommodate eyeglasses and attach earmuffs.
- Beat harsh environments as rugged work demands durable and strong head protection.
- See clearer with this durable faceshield that helps protect against flying objects and sparks while retaining optical clarity.

Test & Approvals: NIOSH

Includes: Respiratory Hard Hat Assembly (M-307N+); High Durability Belt (TR-326); Battery Charger (TR-341N); Filter (TR-3712N); Spark Arrestor (TR-362); Pre-Filter TR-3600 (TR-3600); High Capacity Battery (TR-332); BT-30 Length Adjusting Breathing Tube; Airflow Indicator (TR-971)

Size Group: One Size Fits Most

Batt. Type: High Capacity Lithium-Ion; Rechargeable

Used With: NIOSH TR-3712N HE Magenta Filter

SKU	Type	Suspension
142-TR-300N+HIK	Heavy Industry PAPR Kit	Headgear with Clear Visor



EZ Air PAPR Hood Systems



Features:

- EZ Air Powered Air Purifying Respirator (PAPR) is a complete particulate system intended for both Industrial and Healthcare workers where combined respiratory, eye, and face protection are required.
- Provides a constant supply of fresh, filtered air over the user's face.
- At an APF level of 25, it creates an optimal protective pressure inside the respirator hood keeping out harmful particulates.
- Extremely lightweight coming in at under 4 pounds total.
- Recommended applications are facility maintenance and healthcare facilities.
- Options available for Tyvek® (9933) or Saran™ (9933-S) styles.

Test & Approvals: NIOSH Approved TC-21C-1249

Includes: Battery; Blower; Breathing Tube; Charger; Flow Tester; HEPA Filter; Hood; Waist Belt

Batt. Type: Lithium-Ion

SKU	Type	Suspension
037-9933	Powered Air Purifying Respirator Assembly	Adjustable Hook-and-Loop

Respirator Fit Testing



3M™ Fit Test Solutions

Features:

- Convenient testing kit offers a fast, simple way to meet the OSHA qualitative fit testing requirements.
- Can be used with any particulate respirator, or any gas/vapor respirator with particulate prefilter.
- Convenient, reliable and economical to use.



SKU	Type	Includes
142-FT-12	FT-12 Sweet Fit Test Solution	55 ml solution
142-FT-32	FT-32 Bitter Fit Test Solution	55 ml solution

SAFETY STORAGE

Safety Cans



Type I Safety Cans

Features:

- Electric seam weld joins top and body.
- Stainless steel flame arrestor.
- Sturdy 16 gauge shock rim for bottom support.

Dia.: 12-1/2 in

Height: 15-1/2 in

Material: Galvanized Steel

Resistance: Chemicals

Color: Red

Includes: Funnel



SKU	Capacity Vol.	Type
258-UI50FS	5 gal	Flammables



Type II Safety Cans

Features:

- Eagle cans feature lead-free technology.
- Spring closing lid with neoprene gasket vents at 5 PSI internal pressure.
- They feature deep drawn, 2-piece, no-weld construction with no top or side seams, non-sparkling brass pour spout and flame arrestor.

Dia.: 11-1/4 in

Height: 15-7/8 in

Hose O.D.: 7/8 in

Material: Steel

Resistance: Flame Retardant

Color: Red

Includes: Hose

SKU	Capacity Vol.	Type
258-U251S	5 gal	Type II



Red Oily Waste Cans

Features:

- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.
- Raised flow-through base dissipates heat.
- Convenient carrying handle.
- Trilingual safety label.

Test & Approvals: FM Approved; UL Listed

Dia.: 11-7/8 in

Height: 15-7/8 in

Material: 24-gauge Premium Coated Steel

Resistance: Flame Retardant; Wear; Combustibles

Color: Red

Includes: Foot Operated Cover



SKU	Capacity Vol.	Type
400-09100	6 gal	Foot Operated Cover

Type I Steel Safety Cans

Features:

- Color coding avoids accidents.
- Self-closing lid controls spills.
- Leakproof, auto-venting lid prevents explosion.
- Available with funnel for cans 1 gal or larger.
- Cans up to 1 quart feature a trigger-release handle, while larger capacities have a swinging handle to greatly ease carrying of heavier loads.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage TÄæV certified

Dia.: 11-1/2 in

Height: 16-7/8 in

Material: Galvanized Steel

Resistance: Chemicals

Color: Red



SKU	Capacity Vol.	Type	Includes
400-7150100	5 gal	Flammables	—
400-7150110	5 gal	Flammables	Funnel

Safety Storage Cabinets



Flammable Liquid Storage Cabinets

Features:

- 2 in raised leak-proof sill.
- Two 2 in vents with baffles.
- 3-point key lock.
- Adjustable galvanized shelves.
- Leveling legs.
- Powder coat finish.
- Reinforced double-wall construction with 1-1/2 in airspace.



Test & Approvals: FM; NFPA; OSHA

Depth: 18 in

Width: 43 in

Height: 65 in

Usage: Chemicals; Flammable Liquids

SKU	Capacities	Material
258-1947X	45 Gallon	Steel

Justrite Yellow Safety Cabinets for Flammables

Features:

- U-Loc™ pad lockable handle.
- Haz-Alert™ reflective labeling.
- SpillSlope™ safety shelves.
- Double wall construction with 1-1/2 in of insulating air space.
- Sturdy 18-gauge steel, welded for strength, long life, and greater fire protection.
- Durable lead-free powder paint finish, inside and out, for maximum chemical resistance.
- Four adjustable leveling feet provide a wobble-free base.
- Self-close style features fusible links to hold doors open and concealed self-close mechanism for obstruction-free access.



Test & Approvals: Designed in accordance with NFPA Code 30 Regulation; Complies with OSHA Regulations; FM Tested and Approved; UL Listed; Complies with UFC

Usage: Chemicals

SKU	Capacities	Material	Depth	Width	Height
2 Manual-Close Doors					
400-893000	30 Gallon	18 Gauge Steel	18 in	43 in	44 in
400-894500	45 Gallon	18 Gauge Steel	18 in	43 in	65 in
2 Self-Close Doors					
400-894520	45 Gallon	18 Gauge Steel	18 in	45 in	65 in
2 Manual-Close Doors					
400-896000	60 Gallon	18 Gauge Steel	34 in	34 in	65 in
2 Self-Close Doors					
400-896020	60 Gallon	18 Gauge Steel	34 in	34 in	65 in
2 Manual-Close Doors					
400-899000	90 Gallon	18 Gauge Steel	34 in	43 in	65 in

SPILL CONTROL SAFETY

Sorbent Kits



SPC Economy Portable Spill Kits

Features:

- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Absorption: 5 gal

Type: Allwik® Universal

Includes: (10) 15 in x 19 in Pads; (2) SOCs; 3 in x 4 ft; Nitrile Gloves; (1) Disposal Bag; Instruction Sheet

SKU	Width	Length
655-SKA-PP	16 in	20 in

Sorbents



3M™ Petroleum Sorbent Pads

Features:

- Extremely easy to apply, retrieve, and reuse, these pads are double the standard thickness and recommended for congested areas such as under docks, in shallow water, rocky shorelines, marshes, and beaches.
- Pads can also be used to wipe off oil-contaminated rocks, boats, and equipment.
- Like rolls, they are ideal for in-plant use in place of clay granules.
- Idea for small spills and wiping contaminated areas.
- Convenient size.
- Easy to apply, retrieve and reuse.

SKU	Length	Width	Packing Type	Absorption	Quantity
498-HP-156	20 in	17 in	Bag	38.7 gal	100 per bale
498-T-151	19 in	17 in	Case	43.5 gal	200 SHE/BA



Oil-Only Sorbent Pads

Features:

- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.



Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
103-AB-BPO100	17 in	15 in	20.5 gal	100/BA
103-AB-BPO200	17 in	15 in	34 gal	200/BA
103-AB-BPO500	17 in	15 in	17 gal	100/BA

Universal Sorbent Pads

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.



Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
103-AB-BPU100	17 in	15 in	20.5 gal	100/BA
103-AB-BPU200	17 in	15 in	34 gal	200/BA
103-AB-BPU500	17 in	15 in	17 gal	100/BA

Universal Sorbent Rolls

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.



Packing Type: Roll

Absorption: 38 gal

Quantity: 1/RL

SKU	Length	Width
103-AB-BRU120	150 ft	30 in



MAXX® Enhanced General Purpose Absorbents

Features:

- Economical but offer the look, feel and performance of a premium product.
- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluid.
- Made with MAXX® Technology for superior absorbency and greater strength without the added weight.



SKU	Length	Width	Absorption	Quantity
655-GP100	19 in	15 in	30 gal	100 EA/CA
655-GP200	19 in	15 in	44 gal	200 EA/CA

MRO Plus™ Absorbents

Features:

- MRO Plus® products are strong, durable and medium-linting, making them the perfect go-to products for nearly every industrial setting.
- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- 3-ply Meltblown (MMM) Polypropylene dimpled construction is designed for general industrial applications.



Quantity: 100 EA/BA

SKU	Length	Width	Absorption
655-MRO100	19 in	15 in	26 gal
655-MRO300	19 in	15 in	20.5 gal

STORAGE

Storage Containers



Protector Case™ Series Small Cases

Features:

- Open cell core with solid wall design that is strong, light weight.
- Designed with an automatic purge valve that equalizes air pressure.
- A watertight silicone O-ring lid.
- Stainless steel hardware.
- Over-molded rubber handles (1400 Only).



Test & Approvals: IP67; MIL C-4150J; STANAG 4280; Def Stan 81-41; ATA 300

SKU	Capacity Vol.	Height	Width	Height
562-1400-001-110	0.31 ft³	6.00 in	11.62 in	13.37 in

TRAFFIC SAFETY

Safety Coats & Jackets



5209U Class 3 High Visibility Safety Bomber Jackets



Features:

- This bomber jacket meets ANSI/ISEA Class 3 Type P & R requirements for those working in dangerous settings where visibility is the highest priority, including EMS, construction, and traffic control.
- Silver StarTech reflective tape provides high-visibility.
- Jacket is 100% waterproof, windproof, has a removable hood with conceal pouch, and inner detachable fleece liner.
- Its shell is made of premium PU-coated oxford polyester.
- Heavy duty coat can be worn as rain or snow work gear and has 2 large zipper pockets, a cell phone pocket, inside chest pocket, radiophone clip straps, a 2-way zipper, and elastic ribbed wrist cuffs and waist.
- Jacket comes in fluorescent Yellow with a Black bottom to conceal soiling.
- It offers superior visibility and safety on the job, and is available in in men's sizes Small to 4XL.

Test & Approvals: ANSI/ISEA Class 3 Type P & R

Material: PU-coated oxford polyester shell with removable inner fleece liner

SKU	Size Group	Color
852-V1130460U-L	Large	Hi-Vis Yellow/Green/Black
852-V1130460U-XL	X-Large	Hi-Vis Yellow/Green/Black
852-V1130460U-3XL	3X-Large	Hi-Vis Yellow/Green/Black
852-V1130460U-2XL	2X-Large	Hi-Vis Yellow/Green/Black

Safety Cones



DW Series Traffic Cones

Features:

- Made from injection-molded PVC with a wide body design.
- Rugged and durable for use in a variety of work zones.
- Available in a variety of sizes and colors, including with or without collars.

Test & Approvals: MASH Approved; Meets MUTCD Specifications; NCHRP-350 Certified

Material: PVC

Quantity: 1 EA/EA



SKU	Color	Height	Includes
831-03-500-05	Orange; Black Base	18 in	—
831-03-500-06	Orange; Black Base	36 in	—
831-03-500-07	Orange; Black Base	28 in	—
831-03-500-10	Orange; Black Base	28 in	Reflective Collars



Triangle Warning Kit



Features:

- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the fluorescent plastic is bright and provides effective warning, even in daytime.
- The entire kit is easy to erect and break down, with single triangle flares that unfold from a weighted blow-molded tube base.
- A convenient living hinge box allows for quick and compact storage.

Test & Approvals: Wind Test Compliance of 40 mph

Material: Acrylic; Steel; ABS; Polypropylene

Includes: 3 Triangles in Living Hinge Storage Box

Width: 18 in

SKU	Color	Height
831-95-03-009	Red/Hi-Viz Orange	18 in

Safety Fences



Safety Fences

Features:

- Super high strength.
- Safe with no sharp edges.
- UV stabilized.
- Highly visible orange color.
- Easy to install, handle, or relocate.



SKU	Height	Length	Applications
101-ML-500	4 ft	100 ft	Barrier and Warning at Construction and Excavation Sites; Agricultural Boundary Marker
101-FEN1009	4 ft	100 ft	Lighweight and flexible fence, that is used for safety at construction sites, ski slopes, etc. is easy to handle, install, or relocate

Safety Guards & Protectors



EZ Grab Delineator Post

Features:

- Post is made from 100% impact-resistant polyethylene material.
- EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
- The sturdy rubber base ensures that the post stays put.
- Each post comes with two high intensity reflective bands.

Height: 45 in

Color: Orange

Material: Polyethylene; Rubber



SKU	Outside Dia.
831-03-734RBC	3 in

Safety Signs



Safety Paddles

Features:

- Silk screened or reflective Engineer Grade (EG), HI-intensity (HI), or Diamond Grade (DG) sheeting.
- Letter size 8 inches for 24 inch paddles or 6 inches for 18 inch paddles.
- Extremely durable ABS material or 0.080 aluminum with scratch resistant paint finish.

Test & Approvals: Meets MUTCD Specifications

Length: 9 in Polygrip Handle



SKU	Depicted Text	Color
831-03-851	STOP/SLOW	White Letters on Red; Black Letters on Orange

Safety Tapes



Economy Barrier Tape

Features:

- Sturdy safety tape.
- Repeat wording clearly identifies hazard.
- Bright colors and Bolder Print to attract attention.
- Durable, yet easily disposable.

Width: 3 in

Length: 1000 ft

Material: Polyethylene



SKU	Depicted Text	Color
101-R10003	Danger	Red
101-Y10003	Caution	Yellow



Flagging Tapes

Features:

- Weatherproof poly vinyl chloride for harsh outdoor conditions.
- Bright, fade-resistant color for maximum visibility.
- Constructed of non-adhesive, non conducting vinyl.

Width: 1-3/16 in

Length: 150 ft

Thickness: 2 mil

Material: Vinyl



SKU	Color
586-65602	Orange Glo
586-65603	Pink Glo

Safety Vests



Class 2 Economy Mesh Vests

Features:

- Class 2 economy mesh vest with zipper closure will help protect workers with a brand name they know and trust.
- Built with durable stitch reinforcement at major stress points providing Guaranteed Tough™ protection.
- The high visibility mesh material and the 2 in sewn on reflective tape helps provide visibility in both bright and low light conditions.

Color: Green

Material: Polyester

Closure Type: Zipper



SKU	Size Group
292-DSV220-M	Medium
292-DSV220-L	Large
292-DSV220-XL	X-Large
292-DSV220-2X	2X-Large
292-DSV220-3X	3X-Large
292-DSV220-4X	4X-Large
292-DSV220-5X	5X-Large



GloWear® 8020HL Non-Certified Standard Safety Vests

Features:

- Hook-and-loop closure.
- 1 inch reflective tape.
- Polyester mesh (2.6 oz).
- Non-certified.

Color: Lime

Material: Polyester Mesh



SKU	Size Group	Closure Type
150-20040	One Size	Hook & Loop



GloWear® 8210Z Type R Class 2 Economy Vests

Features:

- Zipper closure.
- One inside pocket, one exterior pocket.
- ANSI-compliant polyester mesh (3.3 oz).
- 2 in ANSI-compliant reflective material.

Test & Approvals: ANSI 107; Type R Class 2

Material: Polyester Mesh

SKU	Size Group	Closure Type	Color
150-21053	S/M	Zipper	Lime
150-21055	L/XL	Zipper	Lime
150-21057	2XL/3XL	Zipper	Lime
150-21045	L/XL	Zipper	Orange
150-21047	2XL/3XL	Zipper	Orange



Class II Economy Safety Vests

Features:

- This vest features a hook and loop front closure, 2 inch silver reflective stripes, 2 outer and 1 inner pocket.
- Good for traffic and security applications.

Color: Lime

SKU	Size Group	Closure Type	Material
611-VCL2SLL	Large	Hook-and-Loop	100% Solid Polyester
611-VCL2SLXL	X-Large	Hook-and-Loop	100% Solid Polyester
611-VCL2SLX2	2X-Large	Hook and Loop	100% Polyester
611-VCL2SLX3	3X-Large	Hook-and-Loop	100% Solid Polyester



Class 2 Type R High Visibility Value Standard Safety Vests

Features:

- Choose from solid polyester tricot or polyester mesh styles.
- 2 inch reflective tape.
- Hook-and-loop closure.

Test & Approvals: Meets ANSI/ISEA 107-2020 Class 2 Type R

Color: Hi-Viz Yellow

Material: 100% Solid Polyester Tricot



SKU	Size Group	Closure Type
561-ECO-G-YS/M	Small/Medium	Hook-and-Loop
561-ECO-G-YL/XL	Large/X-Large	Hook-and-Loop
561-ECO-G-Y2/3X	2X-Large/3X-Large	Hook-and-Loop



SV6 Type R Class 2 Two Tone Surveyor Mesh Safety Vests

Features:

- Has the same features as the SV7 Surveyor safety vest, with the addition of contrasting trim on the stripes and a clear badge holder for the radio pocket.
- Two-tone, contrasting trim on reflective stripes make workers much more noticeable in low light and broad daylight.
- Very functional pocket configuration so you can carry the tools you need to do your job.
- Available in hi-vis green or hi-vis orange.

Color: Hi-Vis Green

Material: 100% Polyester Mesh



SKU	Size Group	Closure Type
292-SV6-2ZGM-S	Small	Zipper Front
292-SV6-2ZGM-M	Medium	Zipper Front
292-SV6-2ZGM-L	Large	Zipper Front
292-SV6-2ZGM-XL	X-Large	Zipper Front
292-SV6-2ZGM-2X	2X-Large	Zipper Front
292-SV6-2ZGM-3X	3X-Large	Zipper Front
292-SV6-2ZGM-4X	4X-Large	Zipper Front
292-SV6-2ZGM-5X	5X-Large	Zipper Front



www.centralwelding.com · (800) 697-0128

