

Compressed Air Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/10/2014 Version: 1.0

	e substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Product name	: Compressed Air	
CAS No	: 132259-10-0	
Product code	: SG-1001-00762	
1.2. Relevant identified uses of the	e substance or mixture and uses advised against	
Use of the substance/mixture	: Test gas/Calibration gas.	
1.3. Details of the supplier of the s	safety data sheet	
Air Liquide America Specialty Gases 6141 Easton Rd Plumsteadville, PA 18949 - USA T 1.800.217.2688 www.airliquide.com		
1.4. Emergency telephone number	r	
Emergency number	: CHEMTREC: 1-800-424-9300	
SECTION 2: Hazards identificati 2.1. Classification of the substanc		
Classification (GHS-US)	11290	
Compressed gas	H280	
2.2. Label elements		
GHS-US labeling Hazard pictograms (GHS-US)		
Signal word (GHS-US) Hazard statements (GHS-US)	GHS04 : Warning : H280 - Contains gas under pressure; may explode if heated	
	CGA-HG24 - Supports combustion.	
Precautionary statements (GHS-US)	 P280 - Wear protective gloves, protective clothing, eye protection, face protection P403 - Store in a well-ventilated place CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly 	
	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution	
2.3. Other hazards	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution	
	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution	
2.3. Other hazards No additional information available 2.4. Unknown acute toxicity (GHS-	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available SECTION 3: Composition/inform	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available SECTION 3: Composition/inform 3.1. Substance	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available SECTION 3: Composition/inform 3.1. Substance Not applicable	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available SECTION 3: Composition/inform 3.1. Substance Not applicable	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly -US)	
No additional information available 2.4. Unknown acute toxicity (GHS- No data available SECTION 3: Composition/inform 3.1. Substance Not applicable	CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly	

Compressed Air

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Adverse effects not expected from this product.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries	: Adverse effects not expected from this product.
Symptoms/injuries after inhalation	: Adverse effects not expected from this product.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: None known.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.

 Emergency procedures
 : Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.

 6.1.2.
 For emergency responders

 Protective equipment
 : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.

 Emergency procedures
 : Evacuate and limit access. Ventilate area.

 6.2.
 Environmental precautions

 Try to stop release if safe to do so.
 5.3.

 6.3.
 Methods and material for containment and cleaning up

For containment		: Try to stop release if safe to do so.
Methods for cleaning	ig up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference	e to other sections	
See also Sections 8	3 and 13.	

09/10/2014

Compressed Air Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage.
Incompatible products	: None known.
Incompatible materials	: None known.
7.3. Specific end use(s)	
Test gas/Calibration gas.	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available	

8.2. Exposure controls	
Appropriate engineering controls	 Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Ensure exposure is below occupational exposure limits. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

Compressed Air Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monc	
SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Lighter or similar to air.
Solubility	: Water: Solubility in water of component(s) of the mixture : •:
Log Pow	No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: None.
Explosive limits	: No data available
•	
9.2. Other information	
Additional information	: None.
SECTION 10: Stability and reactivi	ity
10.1. Reactivity	
None known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	
Can form explosive mixtures with flammable r	และและร.
10.4. Conditions to avoid	
None under recommended storage and hand	ling conditions (see section 7).
10.5. Incompatible materials	
Flammable materials.	
10.6. Hazardous decomposition produ	cts
	nazardous decomposition products should not be produced.
_	
SECTION 11: Toxicological inform 11.1. Information on toxicological effect	
Acute toxicity	: Not classified

Compressed Air

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to 1 outplat register (Ten 11, Her co / Monday	
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Adverse effects not expected from this product.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: None known.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability Compressed air (132259-10-0) Persistence and degradability No ecological damage caused by this product. 12.3. Bioaccumulative potential Compressed air (132259-10-0) Log Pow Not applicable for inorganic gases. Discommendation extential

Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Compressed air (132259-10-0)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
Additional information	None.

Compressed Air Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
Transport document description	: UN1002 Air, compressed, 2.2
UN-No.(DOT)	: 1002
DOT NA no.	: UN1002
DOT Proper Shipping Name	: Air, compressed
Department of Transportation (DOT) Hazard Classes	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: 78 - This entry may not be used to describe compressed air which contains more than 23.5 percent oxygen. An oxidizer label is not required for any oxygen concentration of 23.5 percent or less.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302
DOT Packaging Bulk (49 CFR 173.xxx)	: 302
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1002, 2.2, (E)
Class (ADR)	: 2 - Gases
Hazard identification number (Kemler No.)	: 20
Classification code (ADR)	: 1A
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
Orange plates	20 1002
Tunnel restriction code (ADR)	: E
LQ	: 120ml
Excepted quantities (ADR)	: E1
Transport by sea	1000
Transport by sea UN-No. (IMDG)	: 1002
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG)	: AIR, COMPRESSED
Transport by sea UN-No. (IMDG)	
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: AIR, COMPRESSED
Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG)	: AIR, COMPRESSED

Compressed Air

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IATA)	: AIR, COMPRESSED
Class (IATA)	: 2
SECTION 15: Regulatory inform	nation
15.1. US Federal regulations	
No additional information available	
15.2. International regulations	
CANADA	
Compressed air (132259-10-0)	
WHMIS Classification	Class A - Compressed Gas
EU-Regulations No additional information available	
Classification according to Regulation Not classified	(EC) No. 1272/2008 [CLP]
Classification according to Directive 67	//548/EEC [DSD] or 1999/45/EC [DPD]
15.2.2. National regulations No additional information available	
15.3. US State regulations	

SECTION 16: Other information			
Indication	on of changes	: Revised safety data shee promulgated March 26, 2 :	t in accordance with OSHA final rule on GHS implementation 012.
Other information		: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.	
Full text of H-phrases: see section 16:			
	Compressed gas		Gases under pressure Compressed gas

Compressed gas

H280 Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.